

Фитинги Smartpress

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: vag@nt-rt.ru || сайт: <https://viega.nt-rt.ru/>

TABLE OF CONTENTS

Sanitary/heating installation pipes	174
Elbows	176
T-pieces	176
Adapters/elbows	177
Couplings	178
Screw fittings	179
Caps, plugs	179
Wall plates	180
Wall lead-ins	181
Prevista connectors	181
Mounting units	182
Connection sockets	184
Manifolds	184
Sanitary/heating installations, PPSU	185
Radiator connections	186
Accessories	
Mounting accessories	191
Tools	191



SANITARY/HEATING INSTALLATION PIPES



Viega Smartpress/Pexfit Pro Multi-layer pipe

- for potable water installation, heating installation
- dimensionally stable
- without: protective pipe

Model 4703

d	s	V [l/m]	L [m]	Version	PU	Article	DG
16	2	0.113	5	white	100	607 258	63
20	2.3	0.186	5	white	50	607 272	63
25	2.8	0.296	5	white	40	607 289	63
32	3.2	0.522	5	white	25	586 935	63
40	3.5	0.855	5	white	20	586 942	63
50	4	1.385	5	white	15	588 052	63
63	4.5	2.255	5	white	5	588 069	63



Viega Smartpress/Pexfit Pro Multi-layer pipe

- for potable water installation, heating installation
- dimensionally stable
- without: protective pipe

Model	d	s	V [l/m]	L [m]	Version	PU	Article	DG
4705.01	16	2	0.113	25	white	425	751 425	63
4705.01	16	2	0.113	50	white	750	751 432	63
4705	16	2	0.113	100	white	100/2000	607 210	63
4705.1	16	2	0.113	200	white	200/2000	679 606	63
4705	20	2.3	0.186	100	white	100/1400	607 234	63
4705	25	2.8	0.296	50	white	50/800	607 241	63
4705	32	3.2	0.522	50	white	50/300	699 208	63



Viega Smartpress/Pexfit Pro Multi-layer pipe

- for potable water installation, heating installation
- dimensionally stable

Components

black PE protective pipe

Model 4704

d	d PP	s	V [l/m]	L [m]	Version	PU	Article	DG
16	25	2	0.113	75	black	75/1050	607 302	63
20	28	2.3	0.186	75	black	75/750	607 326	63
25	34	2.8	0.296	50	black	50/500	761 455	63

d PP = d protective pipe



Viega Smartpress/Pexfit Pro Multi-layer pipe

- for potable water installation, heating installation
- dimensionally stable

Components

protective pipe

Model 4704.1

d	d PP	s	V [l/m]	L [m]	Version	PU	Article	DG
16	25	2	0.113	75	blue	75/1050	691 455	63
16	25	2	0.113	75	red	75/1050	691 462	63
20	28	2.3	0.186	75	blue	75/750	691 479	63
20	28	2.3	0.186	75	red	75/750	691 486	63

d PP = d protective pipe


Viega Smartpress/Pexfit Pro Multi-layer pipe

- for potable water installation, heating installation
- dimensionally stable

Components

surrounding insulation 6 mm ($\lambda=0.040$ W/(mK)), PE protective foil

Model 4705.5

d	s	V [l/m]	L [m]	Version	PU	Article	DG
16	2	0.113	75	blue	75/750	734 060	63
16	2	0.113	75	red	75/750	751 401	63
20	2.3	0.186	75	blue	75/600	734 077	63
20	2.3	0.186	75	red	75/600	751 418	63


Viega Smartpress/Pexfit Pro Multi-layer pipe

- for potable water installation, heating installation
- dimensionally stable

Components

surrounding insulation 9 mm ($\lambda=0.040$ W/(mK)), PE protective foil

Model 4705.6

d	s	V [l/m]	L [m]	Version	PU	Article	DG
25	2.8	0.296	25	blue	25/350	607 388	63
25	2.8	0.296	25	red	25/350	784 805	63
32	3.2	0.522	25	blue	25/200	761 202	63
32	3.2	0.522	25	red	25/200	784 812	63


Viega Smartpress/Pexfit Pro Multi-layer pipe

- for potable water installation, heating installation
- dimensionally stable
- without: protective pipe

Model 4708

d	s	V [l/m]	L [m]	Version	PU	Article	DG
16	2	0.113	200	white	200/2000	662 585	63
20	2.3	0.186	100	white	100/1400	662 592	63


Viega Smartpress/Pexfit Pro Multi-layer pipe

- for potable water installation, heating installation
- dimensionally stable

Components

black PE protective pipe

Model 4708.1

d	s	V [l/m]	L [m]	Version	PU	Article	DG
16	2	0.113	75	black	75/1050	662 608	63


Viega Smartpress/Pexfit Pro Multi-layer pipe

- for potable water installation, heating installation
- dimensionally stable

Components

surrounding insulation 6 mm ($\lambda=0.040$ W/(mK)), PE protective foil

Model 4708.5

d	s	V [l/m]	L [m]	Version	PU	Article	DG
16	2	0.113	75	blue	75/750	662 622	63
20	2.3	0.186	75	blue	75/600	662 639	63


Protective pipe

- PE black
- coiled bundle

Model 2004

for d	d	L [m]	PU	Article	DG
16	25	50	50/500	105 761	78
20	28	50	50/400	110 604	78
25	34	25	25	103 460	78

ELBOWS



Viega Smartpress Elbow 90° with SC-Contur
- stainless steel
- press connections
Model 6716

d	PU	Article	DG
16	10	729 844	16
20	10	729 851	16
25	5	729 868	16
32	5	729 875	16
40	1	731 922	17
50	1	731 939	17
63	1	731 946	17



Viega Smartpress Elbow 45° with SC-Contur
- stainless steel
- press connections
Model 6726

d	PU	Article	DG
25	5	730 154	16
32	5	730 161	16
40	1	733 995	17
50	1	734 008	17
63	1	734 015	17

T-PIECES



Viega Smartpress T-piece with SC-Contur
- stainless steel
- press connections
Model 6718

d1	d2	d3	PU	Article	DG
16	16	16	10	729 929	16
16	20	16	5	729 936	16
20	16	16	10	729 967	16
20	16	20	5	729 950	16
20	20	16	10	729 974	16
20	20	20	10	729 943	16
25	16	16	5	730 048	16
25	16	20	5	730 000	16
25	16	25	5	729 998	16
25	20	20	5	730 017	16
25	20	25	5	730 024	16
25	25	16	5	730 055	16
25	25	20	5	730 031	16
25	25	25	5	729 981	16
32	16	25	5	730 079	16
32	16	32	5	730 086	16
32	20	25	5	730 093	16
32	20	32	5	730 109	16
32	25	25	5	730 116	16
32	25	32	5	730 123	16
32	32	32	1	730 062	16
40	25	32	1	732 769	17
40	25	40	1	732 776	17
40	32	32	1	732 783	17
40	32	40	1	732 790	17
40	40	40	1	732 752	17
50	25	50	1	731 953	17
50	32	50	1	732 806	17
50	40	50	1	732 813	17
50	50	50	1	731 984	17
63	25	63	1	732 837	17
63	32	63	1	732 844	17
63	40	63	1	732 851	17
63	50	63	1	732 868	17
63	63	63	1	732 820	17



Viega Smartpress T-piece with SC-Contur
- press connections, Rp-thread
Components
polygon
Model 6717

d1	Rp	d2	PU	Article	DG
16	½	16	5	729 882¹	18
20	½	20	5	729 899¹	18
25	¾	25	5	729 905¹	18
32	¾	32	5	729 912¹	18
40	1	40	1	733 308²	17
50	1	50	1	733 315²	17
63	1	63	1	733 322²	17

¹⁾ gunmetal

²⁾ stainless steel



Viega Smartpress T-piece with SC-Contur
- gunmetal
- press connections, R-thread
Components
polygon
Model 6726.4

R	d1	d2	PU	Article	DG
1/2	16	16	5	730 444	18



Protective collar
- for Raxofix and Sanfix P T-pieces
- plastic
Note
Only in combination with pipe in protective pipe!
Model 2118.5

for d	PU	Article	DG
16/20	10	374 525	78

ADAPTERS/ELBOWS



Viega Smartpress Plug-in piece with SC-Contur
- for metallic press connector systems
- gunmetal
- press connection, plug-in end
Model 6713

VS	PMP	PU	Article	DG
16	15	5	729 660	18
20	22	5	729 677	18
25	22	5	729 684	18
32	28	5	729 691	18
40	35	1	733 421	19
50	42	1	733 438	19

VS = for Viega Smartpress

PMP = for press connectors of the metallic press systems



Viega Smartpress Adapter with SC-Contur
- for metallic press connector systems
- gunmetal
- press connections
Components
EPDM sealing element
Model 6713P

VS	PMP	PU	Article	DG
16	12	5	753 894	18
16	15	5	730 451	18
20	15	5	730 468	18
20	22	5	756 086	18
25	22	5	730 475	18

VS = for Viega Smartpress

PMP = for press connectors of the metallic press systems



Viega Smartpress Adapter with SC-Contur
- gunmetal
- press connection, Rp-thread
Components
polygon
Model 6712

d	Rp	PU	Article	DG
16	1/2	5	729 608	18
16	3/4	5	729 615	18
20	1/2	5	729 622	18
20	3/4	5	729 639	18
25	3/4	5	729 646	18
32	1	5	729 653	18
40	1 1/4	1	733 391	19
50	1 1/2	1	733 407	19
63	2	1	733 414	19



Viega Smartpress Adapter with SC-Contur
- gunmetal
- press connection, R-thread
Components
polygon
Model 6711

d	R	PU	Article	DG
16	3/8	5	729 523	18
16	1/2	5	729 530	18
16	3/4	5	729 547	18
20	1/2	5	729 554	18
20	3/4	5	729 561	18
25	3/4	5	729 578	18
25	1	5	729 585	18
32	1	5	729 592	18
40	1 1/4	1	733 278	19
50	1 1/2	1	733 285	19
63	2	1	733 292	19





Viega Smartpress Adapter elbow 90° with SC-Contur
 - gunmetal
 - press connection, R-thread
Components
 polygon
Model 6714

d	R	PU	Article	DG
16	1/2	5	729 707	18
20	1/2	5	729 714	18
20	3/4	5	729 721	18
25	3/4	5	729 738	18
32	1	5	729 745	18



Viega Smartpress Adapter elbow 90° with SC-Contur
 - gunmetal
 - press connection, Rp-thread
Components
 polygon
Model 6714.1

d	Rp	PU	Article	DG
16	3/8	5	730 345	18
16	1/2	5	730 352	18
20	1/2	5	730 369	18
20	3/4	5	730 376	18
25	3/4	5	730 383	18



Viega Smartpress Plug-in elbow 90° with SC-Contur
 - for all metallic Viega systems
 - gunmetal
 - press connection, plug-in end
Model 6793

VS	PMP	PU	Article	DG
16	15	5	730 321	18
20	22	5	730 338	18

VS = for Viega Smartpress

PMP = for press connectors of the metallic press systems



Viega Smartpress Connection elbow with SC-Contur
 - copper
 - press connection
Model 6776

VS	PMP	H	PU	Article	DG
16	12	200	1	753 863	16
16	15	200	2	750 169	16
16	15	350	2	756 079	16

VS = for Viega Smartpress

PMP = for press connectors of the metallic press systems

COUPLINGS



Viega Smartpress Coupling with SC-Contur
 - stainless steel
 - press connections
Model 6715

d	PU	Article	DG
16	10	729 752	16
20	10	729 769	16
25	5	729 783	16
32	5	729 813	16
40	1	733 339	17
50	1	733 353	17
63	1	733 377	17



Viega Smartpress Reducing coupling with SC-Contur
 - gunmetal
 - press connections
Model 6715.2

d1	d2	PU	Article	DG
20	16	10	729 776	18
25	16	5	729 790	18
25	20	5	729 806	18
32	20	1	729 820	18
32	25	5	729 837	18
40	32	1	733 346	19
50	40	1	733 360	19
63	50	1	733 384	19

SCREW FITTINGS


Viega Smartpress Connection screw fitting with SC-Contur

- gunmetal
- press connection, G-thread

Components

EPDM flat gasket, polygon

Model 6763

d	G	PU	Article	DG
16	1/2	1	730 208	18
16	3/4	1	730 215	18
20	1/2	1	730 222	18
20	3/4	1	730 239	18
25	3/4	1	730 246	18
32	1 1/4	1	730 253	18
40	1 1/4	1	733 445	19
40	1 1/2	1	733 452	19
50	1 3/4	1	733 469	19
50	2 3/8	1	733 476	19
63	2 3/8	1	733 483	19


Adapter nipple

- gunmetal or silicon bronze
- R-thread, G-thread
- reduced

Components

roughened thread, polygon

Model 3246

R	G	WIC	PU	Article	DG
1/2	1/2	✓	1	449 339	25
1/2	3/4	✓	10	441 524	25
3/4	3/4	✓	5	449 346	25

WIC = with internal cone


Viega Smartpress Connection screw fitting with SC-Contur

- gunmetal
- press connection, euro cone

Components

polygon

Model 6735

d	G	PU	Article	DG
16	3/4	5	730 598	18
20	3/4	5	730 604	18
25	3/4	5	730 611	18


Viega Smartpress Connection screw fitting with SC-Contur

- gunmetal
- press connection, metric thread

Components

EPDM sealing element, polygon

Model 6783

d	M	PU	Article	DG
16	22	5	730 307	18
16	24	5	730 314	18

CAPS, PLUGS


Plug

- for pipe end
- not suitable for leakage and pressure test
- plastic

Model 5359.1

for d	PU	Article	DG
16	10	678 234	49
20	10	678 241	49
25	10	678 753	49
32	5	678 760	49
40	5	678 777	49
50	5	678 784	49
63	5	678 791	49


Pressure test plug

- for multi-layer pipe, Raxinox pipe
- not suitable for constant operation
- brass
- multiple use

Components

polygon

Model 2169

d	Rp	PU	Article	DG
16	1/2	1	483 531	78
20	1/2	1	483 548	78
25	1/2	1	483 852	78
32	1/2	1	483 869	78





Spare part set
 - spare part for pressure test plug model 2169
Components
 5 spare sealing elements, fitting grease
Model 2169.21

for d	PU	Article	DG
16	1	775 865	78
20	1	775 872	78

WALL PLATES



Viega Smartpress Wall plate with SC-Contur
 - gunmetal
 - press connection, Rp-thread
Model 6725.5

d	Rp	PU	Article	DG
16	½	5	729 479	18
20	½	5	729 486	18
20	¾	5	729 493	18



Viega Smartpress Wall plate with SC-Contur
 - gunmetal
 - press connection, Rp-thread
 - cuttable
Model 6725

d	Rp	L	PU	Article	DG
16	½	70	5	783 921	18



Sound absorber
 - for all Viega wall plates Rp½ DN12 and DN15
 - rubber
Model 2141.5

	PU	Article	DG
	1/100	586 713	31



Viega Smartpress Double wall plate with SC-Contur
 - gunmetal
 - press connections, Rp-thread
Model 6725.7

d	Rp	PU	Article	DG
16	½	5	730 413	18
20	½	1	730 420	18
25	½	1	730 437	18



Sound absorber
 - suitable for Sanpress double wall plate model 2228.7, Sanpress Inox double wall plate model 2325.7, Viega Smartpress double wall plate model 6725.7
 - rubber
Model 5325.75

d	for d	PU	Article	DG
16	15/18	5	657 116	31
20	22	5	660 383	31



Viega Smartpress Wall plate T-piece with SC-Contur
 - gunmetal
 - press connections, Rp-thread
Model 6724.3

d	Rp	PU	Article	DG
16	½	5	729 509	18
20	½	5	729 516	18



Pressure test plug
 - for leakage test
 - plastic
 - G-thread
 - hot water resistant
Components
 gasket, metal thread insert
Model 1516.113

G	PU	Article	DG
¾	10	116 644	24
½	10	100 766	24
¾	10	107 666	24


Pressure test plug

- plastic
- G-thread

Components

gasket

Model 1516

G	PU	Article	DG
$\frac{3}{8}$	10	107 796	24
$\frac{1}{2}$	10/100	100 124	24
$\frac{3}{4}$	10	102 746	24


Sound absorber

- rubber

Model 2134.5

	PU	Article	DG
	2	591 311	31


Rubber panel set

- for M4 screws

Model 2141.6

QS	PU	Article	DG
2	1	684 211	31

QS = Quantity per set


Sound protection and fixing set

- for all Viega wall plates

Model 2141.7

	PU	Article	DG
	1	684 198	31

WALL LEAD-INS


Wall lead-in

- in combination with anti-twist protection model 2132
- use with countersink cutter model 94980
- gunmetal, galvanised steel
- G-thread
- cuttable

Model 2032.1

G1	G2	L	PU	Article	DG
$\frac{1}{2}$	$\frac{3}{4}$	35	1	764 067	78
$\frac{1}{2}$	$\frac{3}{4}$	47	1	764 074	78


Anti-twist protection

- for wall lead-in
- galvanised steel

Model 2132

	PU	Article	DG
	25	344 931	78

PREVISTA CONNECTORS


Wall plate for Prevista

- for Prevista pre-wall system, Prevista plug-in seat screw fitting
- silicon bronze
- Rp-thread, G-thread
- cuttable

Note

Only suitable for adapters with Prevista plug-in seat!

Model 8055.2

Rp	G	L	PU	Article	DG
$\frac{1}{2}$	$\frac{1}{2}$	88.5	1	785 178	66





Viega Smartpress Adapter elbow 90° with SC-Contur

- for Prevista pre-wall system
- in combination with wall plate for Prevista model 8055.2
- gunmetal
- press connection, Prevista plug-in seat

Note

Only for Prevista pre-wall elements and wall plate!

Model 6716.8

d	G	PU	Article	DG	
16	½	1	776 992	18	



Viega Smartpress Extension piece with SC-Contur

- for Prevista pre-wall system
- in combination with wall plate for Prevista model 8055.2
- gunmetal
- press connection, Prevista plug-in seat

Note

Only for Prevista pre-wall elements and wall plate!

Model 6725.78

d1	G	d2	PU	Article	DG	
16	½	16	1	796 754	18	
20	½	20	1	796 761	18	
25	½	25	1	796 778	18	



Viega Smartpress Adapter T-piece with SC-Contur

- for Prevista pre-wall system
- gunmetal
- press connection, Prevista plug-in seat

Note

Only for Prevista pre-wall elements and wall plate!

Model 6718.8

d1	G	d2	PU	Article	DG	
16	½	16	1	777 005	18	
20	½	20	1	777 012	18	



Viega Smartpress Adapter with SC-Contur

- for Prevista pre-wall system
- gunmetal
- press connection, Prevista plug-in seat

Note

Only for Prevista pre-wall elements and wall plate!

Model 6711.8

d	G	PU	Article	DG	
16	½	1	776 985	18	

MOUNTING UNITS



Viega Smartpress Mounting unit with SC-Contur


- galvanised steel
- press connection, Rp-threads

Components

mounting bracket, short gunmetal elbow

Model 6723

d	Rp	PU	Article	DG	
16	½	1	750 152	18	



Viega Smartpress Mounting unit with SC-Contur

- galvanised steel
- press connections, Rp-threads

Components

offset mounting bracket, short gunmetal elbow

Model 6724

d	Rp	DG	PU	Article	DG	
16	¾	120	1	730 130	18	
16	½	150	1	730 147	18	

DG = depth gauge


Viega Smartpress Mounting unit with SC-Contur

- galvanised steel
- press connections, Rp-threads

Components

mounting bracket, short gunmetal elbow

Model 6724.1

d	Rp	DG	PU	Article	DG
16	½	150	1	730 390	18

DG = depth gauge


Viega Smartpress Mounting unit with SC-Contur

- galvanised steel
- press connections, Rp-threads

Components

mounting bracket, short gunmetal elbow

Model 6724.2

d	Rp	DG	PU	Article	DG
16	½	80/100	1	730 406	18

DG = depth gauge


Viega Smartpress Mounting unit with SC-Contur

- galvanised steel
- press connections, Rp-threads
- sound decoupling, variable dimensions

Components

mounting bracket, gunmetal wall plates

Model 6741

d	Rp	PU	Article	DG
16	½	1	730 628	18


Viega Smartpress Mounting unit with SC-Contur

- for radiator connections
- galvanised steel
- press connections, Rp-threads

Components

offset mounting bracket, short gunmetal elbow

Model 6723.1

d	Rp	DG	PU	Article	DG
16	½	35/45/50	1	730 499	18

DG = depth gauge


Mounting bracket

- for wall plate fixing
- galvanised steel
- sound decoupling, variable dimensions

Components

rubber panel set

Model 2141.3

DG	PU	Article	DG
80–150	1	581 701	78

DG = depth gauge


Mounting bracket

- for lateral fixing
- galvanised steel

Model 2141.4

PU	Article	DG
1	586 706	78


Mounting bracket

- for masonry installation, pre-wall installation, different actual dimensions
- galvanised steel
- sound decoupling

Model 2021.7

DG	PU	Article	DG
70/100/150	1	651 350	78

DG = depth gauge



CONNECTION SOCKETS



Viega Smartpress Connection socket 90° with SC-Contur

- gunmetal
- press connection, Rp-thread

Components

long gunmetal elbow

Note

When using in dry construction, the wall plates should be secured on-site against rotating!

Model 6720.01

d	Rp	PU	Article	DG	
16	1/2	1	730 581	18	



Mounting template

- for connection socket fixing for masonry installation
- steel

Model 2021.8

DG	PU	Article	DG	
80/100/120/150/200	1	117 344	78	

DG = depth gauge




Pressure test plug

- for mounting/disassembly of connection sockets
- plastic
- metal thread
- hot water resistant

Model 2021.85

G	PU	Article	DG	
1/2	10	294 380	78	



Mounting bracket

- for wall plate fixing, connection socket fixing
- galvanised steel

Model 2021

DG	PU	Article	DG	
80/100/150	1	321 956	78	

DG = depth gauge

MANIFOLDS



Manifold

- for potable water installation
- brass
- euro cone

Model 6734

n	G	PU	Article	DG	
2	3/4	1	747 404	18	
3	3/4	1	747 411	18	
4	3/4	1	747 428	18	



Manifold

- for heating installation
- stainless steel
- euro cone, flat sealing union nut G1

Components

connection on left- and right-hand side, galvanised steel mounting brackets, vent valve, preparation for measuring nozzle with R1/2 plug

Model 1078

n	PU	Article	DG	
2	1	586 225	78	
3	1	586 232	78	
4	1	586 249	78	
5	1	587 550	78	
6	1	587 567	78	
7	1	587 574	78	
8	1	587 581	78	
9	1	587 598	78	
10	1	587 604	78	
11	1	587 611	78	
12	1	587 628	78	

SANITARY/HEATING INSTALLATIONS, PPSU



Viega Smartpress/Pexfit Pro Elbow 90° with SC-Contur
- for Viega Smartpress/Pexfit Pro
- PPSU
- press connections
Model 4716

d	PU	Article	DG
16	10	608 613	64
20	10	608 637	64
25	5	608 644	64



Viega Smartpress/Pexfit Pro T-piece with SC-Contur
- for Viega Smartpress/Pexfit Pro
- PPSU
- press connections
Model 4718

d1	d2	d3	PU	Article	DG
16	16	16	10	608 781	64
16	20	16	10	608 842	64
20	16	16	10	608 880	64
20	16	20	10	608 897	64
20	20	16	10	608 903	64
20	20	20	10	608 804	64
25	16	16	5	608 910	64
25	16	20	5	608 927	64
25	16	25	5	608 934	64
25	20	20	5	608 965	64
25	20	25	5	608 972	64
25	25	16	5	608 941	64
25	25	20	5	608 958	64
25	25	25	5	608 811	64



Viega Smartpress/Pexfit Pro Coupling with SC-Contur
- for Viega Smartpress/Pexfit Pro
- PPSU
- press connections
Model 4715

d1	d2	PU	Article	DG
16	16	10	608 668	64
20	16	10	608 729	64
20	20	10	608 682	64
25	16	5	608 743	64
25	20	5	608 736	64
25	25	5	608 699	64



Viega Smartpress/Pexfit Pro Cap with SC-Contur
- for Viega Smartpress/Pexfit Pro
- PPSU
- press connection
Model 4756

d	PU	Article	DG
16	10	608 569	64
20	10	608 583	64
25	5	608 590	64



Viega Smartpress/Pexfit Pro Manifold with SC-Contur
- for Viega Smartpress/Pexfit Pro
- PPSU
Model 4733

d1	d2	n	PU	Article	DG
20	16	2	1	610 098	64
20	16	3	1	610 111*	64
20	16	4	1	610 135*	64

* = Discontinued, limited availability




RADIATOR CONNECTIONS




Viega Smartpress Radiator connection block
 - for direct Viega Smartpress press connection
 - multi-layer pipe
Components
 insulating box
Model 6797.6

H	PU	Article	DG	
250	1	730 512	16	



Radiator connection block
 - for radiator connection out of the wall, radiator mounting after finishing all plastering, tiling, screed and painting work
Components
 insulating box, stainless steel pipe d15
Model 1097.6

d	H	PU	Article	DG	
15	185	1	364 045	85	
15	255	1	379 698	85	



Viega Smartpress Radiator connection block
 - for direct Viega Smartpress press connection, mounting in wall slot or on floor
 - multi-layer pipe
Components
 galvanised steel fixing, insulating box
Model 6797.7

d	PU	Article	DG	
16	1	730 529	16	



Viega Smartpress Radiator connection block
 - for mounting in wall slot or on floor
 - stainless steel
 - Viega Smartpress press connections
Components
 galvanised steel fixing, insulating box
Model 6775.31

d1	d2	PU	Article	DG	
16	15	1	730 505	16	


Radiator connection block

- for radiator mounting after finishing all plastering, tiling, screed and painting work, radiator connection out of the wall
- variable

Components

insulating box, stainless steel pipe d15

Model 1097.9

d	H	PU	Article	DG
15	150	1	586 379	85


Viega Smartpress Connection screw fitting with SC-Contur

- gunmetal
- press connection, euro cone

Components

polygon

Model 6735

d	G	PU	Article	DG
16	¾	5	730 598	18
20	¾	5	730 604	18
25	¾	5	730 611	18


Viega Smartpress Radiator connection set with SC-Contur

- stainless steel
- press connection

Model 6777

QS	VS	PMP	T	H	PU	Article	DG
2	16	15	52	350	1	730 291	16

QS = Quantity per set

VS = for Viega Smartpress

PMP = for press connectors of the metallic press systems


Connection screw fitting

- for copper pipe, steel pipe, euro cone
- brass nickel-plated
- euro cone

Components

polygon

Model 94385.2

d	PU	Article	DG
15	10	636 050	77


Connection screw fitting

- for Fonterra radiant heating and cooling, manifold DN25
- brass nickel-plated
- euro cone, clamping connection


Components

polygon

Model 1037

d	PX	PU	Article	DG
16	16	10	614 522	77

PX = for Pexfit Pro


Clamping ring screw fitting

- for third-party pipe
- not suitable for Sanfix Fosta pipe
- brass
- Viega plug-in seat

Components

nickel-plated union nut, polygon

Model 1019

d	s	PU	Article	DG
16	2	10	356 682	77





Pipe guide elbow 90°
- for floor connection with
Viegatherm pipe
Model 1072.3

for d	PU	Article	DG	
14–16	10	309 855	77	



Rosette
- for radiator connection with radiator connection elbow/pipe or uncoated copper pipe, floor/wall covers
Model 1079.5

L	B	H	d	PU	Article	DG	
60	45	10	15	10	132 781	78	

B = width



Rosette
- for radiator connection with pipe d16, floor/wall covers
Model 1079.1

L	B	H	d	PU	Article	DG	
60	45	10	17	10	351 694	78	

B = width



Double rosette
- for radiator connection with radiator connection elbow/pipe or uncoated copper pipe, floor/wall covers

Model	L	B	H	d	DG	PU	Article	DG	
1079.6	110	60	10	15	50	10	135 959	78	
1079.7	110	60	10	15	40	10	264 581	78	

B = width

DG = depth gauge



Double rosette
- for radiator connection with pipe d16, floor/wall covers
Model 1079.3

L	B	H	d	DG	PU	Article	DG	
110	60	10	17	50	10	351 748	78	

B = width

DG = depth gauge



Adapter set
- for valve radiator connector to
valve radiator with R $\frac{1}{2}$
- brass
- self-sealing
Model 1096.8

G1	G2	QS	PU	Article	DG	
$\frac{1}{2}$	$\frac{3}{4}$	2	10	357 122	78	

QS = Quantity per set



Adapter set
- for valve radiator connector to
valve radiator with R $\frac{3}{4}$
Model 1096.9

QS	PU	Article	DG	
2	10	308 872	78	

QS = Quantity per set



Adapter set
- for manifold, screw fitting with
euro cone
- brass
Components
polygon
Model 1022.7

G1	G2	QS	PU	Article	DG	
$\frac{3}{4}$	$\frac{3}{4}$	2	1	279 547	78	

QS = Quantity per set


Radiator connection piece

- brass matt nickel-plated
- G-thread, Viega plug-in seat
- conversion from double-pipe to single-pipe system, blockable, straight way valve

Components

polygon

Model 1096.0

G	DG	PU	Article	DG
3/4	50	5	359 096	78

DG = depth gauge


Radiator connection piece

- brass matt nickel-plated
- G-thread, Viega plug-in seat
- conversion from double-pipe to single-pipe system, blockable, angled

Components

polygon

Model 1097.0

G	DG	PU	Article	DG
3/4	50	5	359 126	78

DG = depth gauge


Radiator connection set


- brass matt nickel-plated
- blockable, angled

Components

screw fittings

Model 1097.7

d	G	PU	Article	DG
15	3/4	5	364 052	85


Radiator axial valve

- brass nickel-plated
- R-thread

Components

thermostat head, screw fitting for riser pipe, polygon

Model 1075.96

d	R	PU	Article	DG
15	1/2	1	360 405	78


Sanpress Return pipe screw fitting with SC-Contur

- gunmetal
- press connection, R-thread
- blockable

Components

EPDM sealing element

Model 2272.1

d	R	PU	Article	DG
15	1/2	1	326 357	85



Sanpress Return pipe screw fitting with SC-Contur

- gunmetal
- press connection, R-thread
- blockable

Components

EPDM sealing element

Model 2272.2

d	R	PU	Article	DG	
15	½	1	326 364	85	



Radiator connection set

- brass nickel-plated
- blockable, angled

Components

screw fittings for adapter set models 1022.6 and 1022.5

Model 2272.5

d	G	L1	L2	QS	PU	Article	DG	
15	¾	121	123	2	1	360 399	85	

QS = Quantity per set

ACCESSORIES

MOUNTING ACCESSORIES



Pipe clip
- for pipe in protective pipe
- nylon
Model 2035.5

for d	Ø	L	PU	Article	DG
16/20	8	60	250	193 485	78
16/20	8	80	50	100 759	78
16/20	8	110	50	308 155	78



Pipe clip
- for pipe in protective pipe
- nylon
Model 2035.6

for d	Ø	L	DG	PU	Article	DG
16/20	8	60	50	100	193 492	78
16/20	8	80	50	50	101 886	78
16/20	8	110	50	50	308 131	78

DG = depth gauge



Pipe bow
- for pipe in protective pipe
- galvanised steel
Model 2035

for d	PU	Article	DG
16	25	100 315	78



Protective nozzle
- plastic
Model 2036

d	Version	PU	Article	DG
16	blue	10	102 074	78
16	red	10	102 302	78
20	blue	10	109 448	78
20	red	10	110 796	78

ACCESSORIES

TOOLS



Press jaw
PT2
for plastic piping systems

- recommended for Pressgun 6 Plus, Pressgun 6, Pressgun 6 B, Pressgun 5, Pressgun 4B, Pressgun 4E, press machine PT3-H/EH, PT3-AH, press machine type 2 (PT2), Geberit/Mepla press machines type PWH 75, type N 230 V and type N rechargeable battery, Geberit/Mapress press machines type EFP II, ACO 1, ECO 1, ACO 201, ECO 201, AFP 201, EFP 201, ACO 202 and ECO 202, Ridgid press machines RP 10-S, RP 10-B, RP 330C/330B, RP 340
- phosphatised steel

Model 2799.7

VS	F	SI	PX	PU	Article	DG
	12	12		1	425 302	74
16			16	1	425 319	74
20			20	1	425 326	74
25			25	1	446 192	74
32			32	1	591 052	74
40			40	1	590 925	74
50			50	1	590 932	74
63			63	1	590 949	74

VS = for Viega Smartpress

F = for Fonterra

SI = for Smartloop

PX = for Pexfit Pro





Press jaw Picco

for plastic piping systems

- recommended for Pressgun Picco 6 Plus, Pressgun Picco 6, Pressgun Picco, battery-powered press machine Picco, Ridgid RP 210
- phosphatised steel

Model 2784.7

for d	VS	PX	PU	Article	DG
16	16	16	1	556 297	74
20	20	20	1	490 980	74
25	25	25	1	490 997	74
32	32	32	1	751 371	74

VS = for Viega Smartpress

PX = for Pexfit Pro



Pexfit Pro Hand press tool

- for press connectors, Viega Smartpress

Model 2782.5

for d	PU	Article	DG
16	1	483 456	74
20	1	644 956	74
25	1	483 470	74



Viega Smartpress/Pexfit Pro Tool set

Components

- hand press tool for d16, hand press tool for d20, pipe shear, space saver for d25, case

Model 4780.4

for d	PU	Article	DG
16/20	1	656 874	74



Bending tool

- for multi-layer pipe
- steel

Model 5331

bending radius	for d	PU	Article	DG
2xd	16	1	586 393	74
2.3xd	20	1	692 919	74



Internal bending tool set

- for multi-layer pipe
- plastic

Components

- reclosable plastic box

Model 5331.2

for d	L [m]	QS	PU	Article	DG
16/20	1.5	2	1	712 679	74

QS = Quantity per set



Pipe shear

- for Viega plastic pipe

Components

- protective pipe cutter

Model 5341

for d	PU	Article	DG
12-25	1	652 005	74



Blade

Model 5341.6

PU	Article	DG
1	653 620	74



Pipe shear
- for Viega plastic pipe
Model 2040

for d	PU	Article	DG
12–25	1	117 047	74



Blade
- suitable for pipe shear model 2040
Model 2040-404

	PU	Article	DG
	1	139 230	74



Pipe cutter
- for plastic pipe
Model 2191

for d	PU	Article	DG
6–42	1	571 368	74
6–63	1	571 375	74



Cutting wheel
- steel
Model 2191.1

for d	PU	Article	DG
6–63	1	571 801	74



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: vag@nt-rt.ru || сайт: <https://viega.nt-rt.ru/>