

Фитинги Profipress G

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: vag@nt-rt.ru || сайт: <https://viega.nt-rt.ru/>

TABLE OF CONTENTS

Elbows	38
T-pieces	38
Adapters/elbows	39
Couplings	41
Reductions	41
Screw fittings	41
Caps, plugs	42
Flanges	43
Wall plates	43
Accessories	
Tools	44
Sealing elements	44



ELBOWS



Profipress G Elbow 90° with SC-Contur


- copper
- press connections

Components

HNBR sealing elements

Model 2616

d	PU	Article	DG
12	5	346 850	83
15	5	345 464	83
22	5/50	345 488	83
28	5/50	345 495	83
35	1	345 501	83
42	1	345 518	83
54	1	345 525	83



Profipress G Elbow 90° with SC-Contur

- copper
- plug-in end, press connection

Components

HNBR sealing element

Model 2616.1

d	PU	Article	DG
12	5	346 881	83
15	5	345 532	83
22	5	345 556	83
28	5	345 563	83
35	1	345 570	83
42	1	345 587	83
54	1	345 594	83



Profipress G Elbow 45° with SC-Contur

- copper
- press connections

Components

HNBR sealing elements

Model 2626

d	PU	Article	DG
12	5	346 898	83
15	5	345 600	83
22	5	345 624	83
28	5	345 631	83
35	1	345 648	83
42	1	345 655	83
54	1	345 662	83



Profipress G Elbow 45° with SC-Contur

- copper
- plug-in end, press connection

Components

HNBR sealing element

Model 2626.1

d	PU	Article	DG
12	5	346 904	83
15	5	345 679	83
22	5	345 693	83
28	5	345 709	83
35	1	345 716	83
42	1	345 723	83
54	1	345 730	83

T-PIECES



Profipress G T-piece with SC-Contur

- copper
- press connections

Components

HNBR sealing elements

Model 2618

d1	d2	d3	PU	Article	DG
12	12	12	5	346 959	83
15	12	12	5	346 973	83
15	12	15	5	346 980	83
15	15	12	5	346 997	83
15	15	15	5	345 938	83
22	12	22	5	347 000	83
22	15	15	5	346 010	83
22	15	22	5	346 027	83
22	22	15	5	346 041	83
22	22	22	5	345 952	83
28	15	28	5	346 058	83
28	22	28	5	346 065	83
28	28	28	5	345 969	83
35	22	35	1	346 072	83
35	28	35	1	346 089	83
35	35	35	1	345 976	83
42	22	42	1	664 589	83
42	28	42	1	346 096	83
42	35	42	1	346 102	83
42	42	42	1	345 983	83
54	28	54	1	664 572	83
54	42	54	1	346 119	83
54	54	54	1	345 990	83

Profipress G with SC-Contur **A2**


Profipress G T-piece with SC-Contur
 - copper
 - press connections, plug-in end
Components
 HNBR sealing elements
Model 2618.1

d1	d2	d3	PU	Article	DG
22	15	22	5	477 363	83



Profipress G T-piece with SC-Contur
 - gunmetal
 - press connections, Rp-thread
Components
 HNBR sealing elements, polygon
Model 2617.2

d1	Rp	d2	PU	Article	DG
15	1/2	15	5	352 707	83
22	1/2	22	5	352 721	83
22	3/4	22	5	352 738	83
28	1/2	28	5	352 745	83
28	3/4	28	5	352 752	83
35	1/2	35	1	352 769	83
35	1	35	1	361 327	83
42	1/2	42	1	352 776	83
42	1	42	1	361 334	83
54	1/2	54	1	352 783	83
54	1	54	1	361 341	83



ADAPTERS/ELBOWS



Profipress G Adapter with SC-Contur
 - gunmetal
 - press connection, R-thread
Components
 HNBR sealing element, polygon
Model 2611

d	R	PU	Article	DG
12	3/8	5	347 017	83
12	1/2	5	347 024	83
15	1/2	5	346 126	83
15	3/4	5	346 133	83
22	1/2	5	346 164	83
22	3/4	5	346 171	83
22	1	5	346 188	83
28	3/4	5	346 270	83
28	1	5	346 287	83
28	1 1/4	5	346 294	83
35	1	5	346 300	83
35	1 1/4	5	346 317	83
35	1 1/2	1	346 324	83
42	1 1/4	1	346 331	83
42	1 1/2	1	346 348	83
54	1 1/2	1	346 355	83
54	2	1	346 362	83



Profipress G Adapter with SC-Contur
 - for pressure regulating valve from liquid gas tank
 - gunmetal
 - press connection, G-thread
Components
 connection for union nut, HNBR sealing element, polygon
Model 2611.5

d	G	PU	Article	DG
15	1/2	5	397 036	83
15	3/4	5	382 803	83
22	1/2	5	397 050	83
22	3/4	5	382 827	83



Profipress G Adapter with SC-Contur
 - gunmetal
 - press connection, Rp-thread
Components
 HNBR sealing element, polygon
Model 2612

d	Rp	PU	Article	DG
12	3/8	5	347 031	83
12	1/2	5	347 048	83
15	1/2	5	346 379	83
15	3/4	5	346 386	83
22	1/2	5	346 416	83
22	3/4	5	346 423	83
22	1	5	435 158	83
28	1	5	346 430	83
35	1 1/4	5	346 447	83
42	1 1/2	1	346 454	83
54	1 1/2	1	571 986	83
54	2	1	346 461	83


Profipress G Adapter with SC-Contur

- gunmetal
- press connection, Rp-thread

Components

anti-twist protection, HNBR sealing element

Model 2612.3

d	Rp	PU	Article	DG
15	1/2	5	346 478	83


Profipress G Adapter with SC-Contur

- for pressure regulating valve from liquid gas tank, cutting ring connection
- gunmetal
- plug-in end, press connection

Components

HNBR sealing element

Model 2613

d	PU	Article	DG
12	5	443 153	83
15	5	378 790	83
22	5	378 813	83
28	5	378 820	83


Sanpress Plug-in piece

- gunmetal or silicon bronze
- plug-in end, R-thread

Components

polygon

Model 2211.1

d	R	PU	Article	DG
12	1/2	5	291 310	87
15	1/2	5	115 418	87
18	1/2	5	285 081	87
18	3/4	5	285 104	87
22	1/2	5	119 676	87
22	3/4	5	116 767	87
28	1	5	122 034	87
35	1 1/4	5	125 288	87
42	1 1/2	1	132 231	87


Sanpress Plug-in piece

- gunmetal or silicon bronze
- plug-in end, Rp-thread

Components

polygon

Model 2212.1

d	Rp	PU	Article	DG
12	1/2	5	291 341	87
15	1/2	5	117 733	87
18	1/2	5	287 085	87
18	3/4	5	287 108	87
22	1/2	5	120 917	87
22	3/4	5	117 481	87
28	3/4	5	130 954	87
28	1	5	122 942	87
35	1	5	134 730	87
35	1 1/4	5	130 589	87
42	1 1/2	1	135 430	87
54	2	1	199 104	87


Profipress G Adapter elbow 90° with SC-Contur

- gunmetal
- press connection, R-thread

Components

HNBR sealing element, polygon

Model 2614

d	R	PU	Article	DG
12	3/8	5	346 911	83
12	1/2	5	346 928	83
15	1/2	5	345 747	83
22	3/4	5	345 778	83
28	1	5	345 785	83
35	1 1/4	1	345 792	83
42	1 1/2	1	345 808	83
54	2	1	345 815	83


Profipress G Adapter elbow 90° with SC-Contur

- gunmetal
- press connection, Rp-thread

Components

HNBR sealing element

Model 2614.2

d	Rp	PU	Article	DG
12	3/8	5	346 935	83
12	1/2	5	346 942	83
15	1/2	5	345 822	83
15	3/4	5	345 839	83
22	1/2	5	345 860	83
22	3/4	5	345 877	83
22	1	5	345 884	83
28	1	5	345 891	83
35	1 1/4	1	345 907	83
42	1 1/2	1	345 914	83
54	2	1	345 921	83

COUPLINGS



Profipress G Coupling
- copper
- press connections
Model 2615

d	PU	Article	DG
12	5	347 055	83
15	5	346 485	83
22	5	346 508	83
28	5	346 515	83
35	1	346 522	83
42	1	346 539	83
54	1	346 546	83



Profipress G Slip coupling with SC-Contur
- gunmetal
- press connections
Components
HNBR sealing elements
Model 2615.5

d	PU	Article	DG
15	5	394 165	83
22	5	394 189	83
28	5	394 196	83
35	5	394 202	83
42	1	394 219	83
54	1	394 226	83

REDUCTIONS



Profipress G Reducer with SC-Contur
- copper
- plug-in end, press connection
Components
HNBR sealing element
Model 2615.1

d1	d2	PU	Article	DG
15	12	5	347 062	83
22	15	5	346 560	83
28	15	5	346 584	83
28	22	5	346 607	83
35	22	1	346 614	83
35	28	1	346 621	83
42	22	1	346 638	83
42	28	1	346 645	83
42	35	1	346 652	83
54	35	1	346 669	83
54	42	1	346 676	83



Profipress G Reducing coupling with SC-Contur
- copper
- press connections
Components
HNBR sealing elements
Model 2615.2

d1	d2	PU	Article	DG
15	12	5	660 239	83

SCREW FITTINGS



Profipress G Screw fitting with SC-Contur
- gunmetal
- press connections
- conical sealing
Components
HNBR sealing elements, polygon
Model 2650

d	PU	Article	DG
15	1	379 254	83
22	1	379 278	83
28	1	379 285	83
35	1	379 292	83
42	1	379 308	83
54	1	379 315	83



Profipress G Adapter union with SC-Contur
 - gunmetal
 - press connection, Rp-thread
 - conical sealing
Components
 HNBR sealing element, polygon
Model 2652

d	Rp	PU	Article	DG
15	1/2	1	379 322	83
22	3/4	1	379 346	83
28	1	1	379 353	83
35	1 1/4	1	379 360	83
42	1 1/2	1	379 377	83
54	2	1	379 384	83



Profipress G Adapter union with SC-Contur
 - gunmetal
 - press connection, R-thread
 - conical sealing
Components
 HNBR sealing element, polygon
Model 2654

d	R	PU	Article	DG
12	1/2	1	632 458	83
15	1/2	1	379 391	83
15	3/4	1	390 662	83
22	3/4	1	379 414	83
22	1	1	390 686	83
28	3/4	1	477 981	83
28	1	1	379 421	83
35	1 1/4	1	379 438	83
42	1 1/2	1	379 445	83
54	2	1	379 452	83



Profipress G Connection screw fitting with SC-Contur
 - for gas ball valve, gas valve
 - gunmetal
 - press connection, G-thread
 - conical sealing
Components
 HNBR sealing element, polygon
Model 2661

d	G	PU	Article	DG
15	7/8	1	351 113	83
22	1 1/8	1	351 120	83
22	1 3/8	1	408 237	83
28	1 3/8	1	351 137	83



Profipress G Connection screw fitting with SC-Contur
 - for pressure regulating valve
 - gunmetal
 - press connection, G-thread
 - flat sealing
Components
 HNBR sealing element, polygon
Model 2666

d	G	PU	Article	DG
15	1/2	1	638 474	83
22	3/4	1	638 498	83
22	7/8	1	638 559	83
28	1	1	638 504	83
28	1 1/4	1	477 455	83
28	1 1/2	1	490 829	83
35	1 1/2	1	638 511	83
42	2	1	638 528	83

CAPS, PLUGS



Profipress G Cap with SC-Contur
 - copper
 - press connection
Components
 HNBR sealing element
Model 2656

d	PU	Article	DG
12	5	438 722	83
15	5	352 790	83
22	5	352 813	83
28	5	352 820	83
35	1	352 837	83
42	1	352 844	83
54	1	352 851	83



Profipress Plug
 - copper
 - plug-in end
Model 2457

d	PU	Article	DG
15	10	330 903	86
22	5	314 576	86
28	5	314 569	86
42	1	314 545*	86
54	1	314 538*	86

* = Discontinued, limited availability

FLANGES



Profipress G Flange adapter with SC-Contur
- gunmetal
- flange adapter, press connection
Components
black powder-coated steel loose flange PN 10/16, HNBR sealing element
Model 2659.5

DN	d	n	k [mm]	PU	Article	DG
25	28	4	85	1	490 669	83
32	35	4	100	1	567 019	83
40	42	4	110	1	567 026	83
50	54	4	125	1	567 033	83

n = number of holes
k = bolt circle diameter



Mounting set
- for flange connection
- galvanised steel
Components
4 screws, 8 washers, 4 nuts
Model 2259.7

DN	PN	M	L	PU	Article	DG
20/25	16	12	65	1	494 056	87
32/50	16	16	70	1	494 063	87



Mounting set
- for flange connection
- galvanised steel
Model 2259.7XL

for DN	PN	M	L	PU	Article	DG
65/100	16	16	70	1	494 087¹	87
80/100	6	16	60	1	651 268²	87

¹⁾ with 8 screws, 16 washers and 8 nuts
²⁾ with 4 screws, 8 washers and 4 nuts



Gasket
- AFM 34/2
Model 2259.9

DN	PN	PU	Article	DG
10	16	1	611 286	87
15	16	1	611 293	87
20	16	10	611 309	87
25	16	10	409 128	87
32	6	5	650 131	87
32	16	10	409 135	87
40	6	5	650 148	87
40	16	10	409 142	87
50	6	5	650 551	87
50	16	10	409 258	87



Gasket
- AFM 34/2
Model 2259.9XL

DN	PN	PU	Article	DG
65	16	10	356 293	88

WALL PLATES



Profipress G Wall plate with SC-Contur
- gunmetal
- press connection, Rp-thread
Components
HNBR sealing element, fixing flange
Model 2625.5

d	Rp	PU	Article	DG
12	½	5	348 076	83
15	½	5	346 683	83
22	¾	5	346 706	83

ACCESSORIES TOOLS



Insertion depth template
- for marking the insertion depth of
metallic pipes
Model 2494

for d	PU	Article	DG	
12–54	1	625 085	74	



Marking pen
- for Viega press connector systems
Model 2490.1

	PU	Article	DG	
	1	606 121	74	

ACCESSORIES SEALING ELEMENTS



Profipress G Sealing element
HNBR
Model 2687

for d	internal-Ø	s	PU	Article	DG	
12	12.1	2.35	5	348 571	83	
15	15.1	2.6	5	348 588	83	
22	22.2	3.1	5	348 601	83	
28	28.3	3.1	5	348 618	83	
35	35.4	3.25	5	348 625	83	
42	42.4	4.13	5	348 632	83	
54	54.4	4.13	5	348 649	83	

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: vag@nt-rt.ru || сайт: <https://viega.nt-rt.ru/>