

Фитинги Megapress

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: vag@nt-rt.ru || сайт: <https://viega.nt-rt.ru/>

TABLE OF CONTENTS

Overview of Megapress pipe dimensions	56
Elbows	56
T-pieces	58
Adapters/elbows	59
Press-in branch connectors	61
Couplings	61
Reductions	62
Screw fittings	63
Caps	64
Flanges	64
Stainless steel ball valves	65
Repair sets for stainless steel ball valves	65
Accessories	
Tools	66
Sealing elements	66



OVERVIEW OF MEGAPRESS PIPE DIMENSIONS

Pipes according to EN 10255, EN 10220/EN 10216-1, EN 10220/EN 10217-1						
dimension D	nominal width DN	external Ø	external Ø incl. coating		wall thickness	
			min.	max.	min.	max.
3/8	10	17.2	16.7	17.7	1.4	4.5
1/2	15	21.3	20.8	21.8	1.4	5.0
3/4	20	26.9	26.4	27.4	1.4	8.0
1	25	33.7	33.2	34.2	1.4	8.8
-	32	38.0	37.5	38.5	1.4	10.0
1 1/4	32	42.4	41.9	42.9	1.4	10.0
-	40	44.5	44.0	45.0	1.4	12.5
1 1/2	40	48.3	47.8	48.8	1.4	12.5
-	50	57.0	56.4	57.6	1.4	14.2
2	50	60.3	59.6	60.9	1.4	16.0

ELBOWS



Megapress Elbow 90° with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connections

Components

EPDM sealing elements, cutting rings, separator rings

Model 4216

VdS	DN	D	PU	Article	DG
	10	3/8	10	739 362	55
	15	1/2	10	694 517	55
✓	20	3/4	10	694 524	55
✓	25	1	5	694 531	55
✓	32	1 1/4	1	694 548	55
✓	40	1 1/2	1	694 555	55
✓	50	2	1	694 562	55

VdS = VdS certification



Megapress Elbow 90° with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- plug-in end, press connection

Components

EPDM sealing element, cutting ring, separator ring

Model 4216.1

VdS	DN	D	PU	Article	DG
	10	3/8	10	739 386	55
	15	1/2	10	694 630	55
✓	20	3/4	10	694 647	55
✓	25	1	5	694 654	55
✓	32	1 1/4	1	694 661	55
✓	40	1 1/2	1	694 678	55
✓	50	2	1	694 685	55

VdS = VdS certification


**Megapress Elbow 45°
with SC-Contur**

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connections

Components

EPDM sealing elements, cutting rings, separator rings

Model 4226

VdS	DN	D	PU	Article	DG
	10	3/8	10	739 379	55
	15	1/2	10	694 579	55
✓	20	3/4	10	694 586	55
✓	25	1	5	694 593	55
✓	32	1 1/4	1	694 609	55
✓	40	1 1/2	1	694 616	55
✓	50	2	1	694 623	55

VdS = VdS certification


**Megapress Elbow 45°
with SC-Contur**

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- plug-in end, press connection

Components

EPDM sealing element, cutting ring, separator ring

Model 4226.1

VdS	DN	D	PU	Article	DG
	10	3/8	10	739 393	55
	15	1/2	10	694 692	55
✓	20	3/4	10	694 708	55
✓	25	1	5	694 715	55
✓	32	1 1/4	1	694 722	55
✓	40	1 1/2	1	694 739	55
✓	50	2	1	694 746	55

VdS = VdS certification



T-PIECES



Megapress T-piece with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connections

Components

EPDM sealing elements, cutting rings, separator rings

Model 4218

VdS	DN	D1	D2	D3	PU	Article	DG
	10	3/8	3/8	3/8	5	739 423	55
	15	1/2	1/2	1/2	5	694 968	55
	20	3/4	1/2	3/4	5	695 026	55
✓	20	3/4	3/4	3/4	5	694 975	55
	25	1	1/2	1	5	695 033	55
✓	25	1	3/4	1	5	695 040	55
✓	25	1	1	1	5	699 024	55
	32	1 1/4	1/2	1 1/4	1	747 794	55
✓	32	1 1/4	3/4	1 1/4	1	695 057	55
✓	32	1 1/4	1	1 1/4	1	695 095	55
✓	32	1 1/4	1 1/4	1 1/4	1	694 999	55
	40	1 1/2	1/2	1 1/2	1	695 064	55
✓	40	1 1/2	3/4	1 1/2	1	695 071	55
✓	40	1 1/2	1	1 1/2	1	695 101	55
✓	40	1 1/2	1 1/4	1 1/2	1	695 088	55
✓	40	1 1/2	1 1/2	1 1/2	1	695 002	55
	50	2	1/2	2	1	695 118	55
✓	50	2	3/4	2	1	695 125	55
✓	50	2	1	2	1	695 132	55
✓	50	2	1 1/4	2	1	695 149	55
✓	50	2	1 1/2	2	1	695 156	55
✓	50	2	2	2	1	695 019	55

VdS = VdS certification



Megapress T-piece with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connections, Rp-thread

Components

EPDM sealing elements, cutting rings, separator rings, polygon

Model 4217.2

VdS	DN	D1	Rp	D2	PU	Article	DG
	15	1/2	1/2	1/2	5	695 163	55
✓	20	3/4	1/2	3/4	5	695 170	55
✓	25	1	1/2	1	5	695 187	55
✓	25	1	3/4	1	5	695 194	55
✓	32	1 1/4	1/2	1 1/4	1	695 200	55
✓	32	1 1/4	3/4	1 1/4	1	755 843	55
✓	32	1 1/4	1	1 1/4	1	755 959	55
✓	40	1 1/2	1/2	1 1/2	1	695 217	55
✓	40	1 1/2	3/4	1 1/2	1	695 224	55
✓	40	1 1/2	1	1 1/2	1	695 231	55
✓	50	2	1/2	2	1	695 248	55
✓	50	2	3/4	2	1	695 255	55
✓	50	2	1	2	1	695 262	55

VdS = VdS certification

ADAPTERS/ELBOWS


**Megapress Adapter
with SC-Contur**

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connection, R-thread

Components

EPDM sealing element, cutting ring, separator ring, polygon

Model 4211

VdS	DN	D	R	PU	Article	DG
	10	3/8	3/8	10	740 177	55
	10	3/8	1/2	10	740 160	55
	15	1/2	1/2	10	695 279	55
✓	20	3/4	3/4	10	695 286	55
✓	25	1	1	5	695 293	55
✓	32	1 1/4	1 1/4	1	695 309	55
✓	40	1 1/2	1 1/2	1	695 316	55
✓	50	2	2	1	695 323	55

VdS = VdS certification


**Megapress Adapter
with SC-Contur**

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connection, R-thread

Components

EPDM sealing element, cutting ring, separator ring, polygon

Model 4211.3

DN1	external-Ø	DN2	R	PU	Article	DG
32	38	20	3/4	1	793 401 ^{1,2}	55
32	38	25	1	1	793 395 ^{1,2}	55
32	38	32	1 1/4	1	793 418 ^{1,2}	55
40	44.5	25	1	1	754 860 ^{3,4}	55
40	44.5	32	1 1/4	1	783 112 ^{3,4}	55
40	44.5	40	1 1/2	1	783 129 ^{3,4}	55
50	57	32	1 1/4	1	754 877 ^{1,5}	55
50	57	40	1 1/2	1	783 136 ^{1,5}	55
50	57	50	2	1	783 143 ^{1,5}	55

¹⁾ for steel pipes in pipe series 2 boiler pipe quality

²⁾ use with press ring article 639 457

³⁾ for steel pipes in pipe series 3 boiler pipe quality

⁴⁾ use with press ring article 639 471

⁵⁾ use with press ring article 639 488

**Megapress Adapter
with SC-Contur**

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connection, Rp-thread

Components

EPDM sealing element, cutting ring, separator ring, polygon

Model 4212

VdS	DN	D	Rp	PU	Article	DG
	10	3/8	3/8	10	740 184	55
	10	3/8	1/2	10	740 191	55
	15	1/2	1/2	10	695 330	55
✓	20	3/4	3/4	10	695 347	55
✓	25	1	1	5	695 354	55
✓	32	1 1/4	1 1/4	5	695 361	55
✓	40	1 1/2	1 1/2	1	695 378	55
✓	50	2	2	1	695 385	55

VdS = VdS certification


**Megapress Adapter
with SC-Contur**

- for steel pipes in accordance with EN 10220/10255, Prestabo
- non-alloyed steel, zinc-nickel coating
- press connections

Components

EPDM sealing elements, cutting ring, separator ring

Model 4213

VdS	DN	D	d	PU	Article	DG
	10	3/8	15	5	740 207	55
	15	1/2	15	5	718 787	55
	15	1/2	18	5	767 600	55
	20	3/4	15	5	734 121	55
✓	20	3/4	22	5	718 794	55
	25	1	15	5	734 138	55
✓	25	1	28	5	718 800	55
✓	32	1 1/4	35	1	718 817	55
✓	40	1 1/2	42	1	718 824	55
✓	50	2	54	1	718 831	55

VdS = VdS certification


**Megapress Adapter
with SC-Contur
potable water installation**

- for steel pipes in accordance with EN 10220/10255 with galvanizing in accordance with EN 10240
- silicon bronze
- press connections

Components

EPDM sealing elements, cutting ring, separator ring

Model 4213.2

DN	D	d	PU	Article	DG
15	1/2	15	5	736 255	55
15	1/2	18	5	754 679	55
20	3/4	22	5	736 279	55
25	1	28	5	736 293	55
32	1 1/4	35	1	736 309	55
40	1 1/2	42	1	736 316	55
50	2	54	1	736 323	55


**Megapress Adapter
with SC-Contur**

- for steel pipes in accordance with EN 10220/10255, groove system
- non-alloyed steel, zinc-nickel coating
- press connection, plug-in end for groove system

Components

EPDM sealing element, cutting ring, separator ring

Model 4213.1

VdS	DN	D	d	PU	Article	DG
✓	25	1	33.7	1	718 343	55
✓	32	1 1/4	42.4	1	718 756	55
✓	40	1 1/2	48.3	1	718 763	55
✓	50	2	60.3	1	718 770	55

VdS = VdS certification


Megapress Plug-in piece

- non-alloyed steel, zinc-nickel coating
- plug-in end, Rp-thread

Components

polygon

Model 4212.5

VdS	DN	D	Rp	PU	Article	DG
✓	25	1	1/2	5	758 578	55
✓	25	1	3/4	5	758 585	55
✓	32	1 1/4	1/2	1	758 592	55
✓	32	1 1/4	3/4	1	758 608	55
✓	32	1 1/4	1	1	758 615	55

VdS = VdS certification

PRESS-IN BRANCH CONNECTORS



Megapress Press-in branch connector

- for steel pipes in accordance with EN 10220/10255
- suitable for tool set press-in branch connector PT2 model 4278.5
- non-alloyed steel, zinc-nickel coating
- press-in branch connector, Rp-thread

Components

EPDM sealing element, polygon

Note

Tools: see system press tools product group.

Model 4212.2

for D	Rp	PU	Article	DG
1½	¾	1	731 168	55
2	¾	1	731 175	55
2½	¾	1	731 182	55
3	¾	1	731 199	55
4	¾	1	731 205	55
5	¾	1	731 212	55
6	¾	1	731 229	55



Reducer

- suitable for Megapress press-in branch connector model 4212.2
- gunmetal
- G-thread, Rp-thread

Components

EPDM seal ring, polygon

Model 3241.1

G	Rp	PU	Article	DG
¾	½	1	731 236	55

COUPLINGS



Megapress Coupling with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connections

Components

EPDM sealing elements, cutting rings, separator rings

Model 4215

VdS	DN	D	PU	Article	DG
	10	¾	10	739 409	55
	15	½	10	694 753	55
✓	20	¾	10	694 760	55
✓	25	1	5	694 777	55
✓	32	1¼	1	694 784	55
✓	40	1½	1	694 791	55
✓	50	2	1	694 807	55

VdS = VdS certification



Megapress Slip coupling with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connections

Components

EPDM sealing elements, cutting rings, separator rings

Model 4215.5

VdS	DN	D	PU	Article	DG
	10	¾	10	739 416	55
	15	½	10	694 814	55
✓	20	¾	10	694 821	55
✓	25	1	5	694 838	55
✓	32	1¼	1	694 845	55
✓	40	1½	1	694 852	55
✓	50	2	1	694 869	55

VdS = VdS certification


Megapress Slip coupling with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- plug-in end, press connection

Components

EPDM sealing element, cutting ring, separator ring

Model 4215.4

DN	D	PU	Article	DG
10	3/8	5	754 211	55
15	1/2	5	754 228	55
20	3/4	5	754 235	55
25	1	5	754 242	55

REDUCTIONS


Megapress Reducer with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- plug-in end, press connection

Components

EPDM sealing element, cutting ring, separator ring

Model 4215.1

VdS	DN1	D1	DN2	D2	PU	Article	DG
	15	1/2	10	3/8	5	739 430	55
	20	3/4	10	3/8	5	739 447	55
	20	3/4	15	1/2	5	695 392	55
	25	1	15	1/2	5	695 408	55
✓	25	1	20	3/4	5	695 415	55
	32	1 1/4	15	1/2	1	695 422	55
✓	32	1 1/4	20	3/4	1	695 439	55
✓	32	1 1/4	25	1	1	695 446	55
	40	1 1/2	15	1/2	1	695 453	55
✓	40	1 1/2	20	3/4	1	695 460	55
✓	40	1 1/2	25	1	1	695 477	55
✓	40	1 1/2	32	1 1/4	1	695 484	55
	50	2	15	1/2	1	695 491	55
✓	50	2	20	3/4	1	695 507	55
✓	50	2	25	1	1	695 514	55
✓	50	2	32	1 1/4	1	695 521	55
✓	50	2	40	1 1/2	1	695 538	55

VdS = VdS certification


Megapress Reducing coupling with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connections

Components

EPDM sealing elements, separator rings, cutting rings

Model 4215.2

DN1	D1	DN2	D2	PU	Article	DG
20	3/4	15	1/2	5	734 145	55
25	1	15	1/2	5	734 152	55



Megapress Reducing coupling with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connections

Components

EPDM sealing elements, cutting rings, separator rings

Model 4215.7

DN1	D	DN2	external-Ø	PU	Article	DG
32	1¼	32	38	1	793 425 ^{1,2}	55
40	1½	40	44.5	1	754 853 ^{3,4}	55
50	2	50	57	1	754 648 ^{1,5}	55

¹⁾ for steel pipes in pipe series 2 boiler pipe quality

²⁾ use with press ring article 639 457

³⁾ for steel pipes in pipe series 3 boiler pipe quality

⁴⁾ use with press ring article 639 471

⁵⁾ use with press ring article 639 488



SCREW FITTINGS



Megapress Adapter union with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connection, R-thread
- flat sealing

Components

EPDM flat gasket, EPDM sealing element, cutting ring, separator ring, polygon

Model 4265

VdS	DN	D	R	PU	Article	DG
	15	½	½	5	718 923	55
✓	20	¾	¾	5	718 909	55
✓	25	1	1	5	718 893	55
✓	32	1¼	1¼	1	718 916	55
✓	40	1½	1½	1	747 800	55
✓	50	2	2	1	747 817	55

VdS = VdS certification



Megapress Connection screw fitting with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connection, G-thread
- flat sealing

Components

EPDM flat gasket, EPDM sealing element, cutting ring, separator ring, polygon

Model 4263

VdS	DN	D	G	PU	Article	DG
	15	½	¾	1	718 886	55
✓	20	¾	1	5	718 855	55
✓	25	1	1¼	5	718 848	55
✓	25	1	1½	5	718 879	55
✓	32	1¼	1½	5	718 862	55
✓	32	1¼	2	5	725 860	55
✓	40	1½	1½	1	747 824	55
✓	50	2	2	1	747 831	55
✓	50	2	2¾	1	806 514	55

VdS = VdS certification

CAPS



Megapress Cap with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connection

Components

EPDM sealing element, cutting ring, separator ring

Model 4256

VdS	DN	D	PU	Article	DG
	10	3/8	10	740 153	55
	15	1/2	10	694 906	55
✓	20	3/4	10	694 913	55
✓	25	1	5	694 920	55
✓	32	1 1/4	1	694 937	55
✓	40	1 1/2	1	694 944	55
✓	50	2	1	694 951	55

VdS = VdS certification

FLANGES



Megapress Flange adapter with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- flange adapter, press connection

Components

fixed flange PN 6, EPDM sealing element, cutting ring, separator ring

Model 4259.1

DN	D	n	PU	Article	DG
32	1 1/4	4	1	721 978	55
40	1 1/2	4	1	721 985	55
50	2	4	1	721 992	55

n = number of holes



Megapress Flange adapter with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- flange adapter, press connection

Components

fixed flange PN 10/16, EPDM sealing element, cutting ring, separator ring

Model 4259

VdS	DN	D	n	PU	Article	DG
✓	32	1 1/4	4	1	694 876	55
✓	40	1 1/2	4	1	694 883	55
✓	50	2	4	1	694 890	55

VdS = VdS certification

n = number of holes



Mounting set

- for flange connection
- galvanised steel

Components

4 screws, 8 washers, 4 nuts

Model 2259.7

DN	PN	M	L	PU	Article	DG
32/50	16	16	70	1	494 063	87
32/65	6	12	50	1	651 251	87



Gasket

- AFM 34/2

Model 2259.9

DN	PN	PU	Article	DG
32	6	5	650 131	87
32	16	10	409 135	87
40	6	5	650 148	87
40	16	10	409 142	87
50	6	5	650 551	87
50	16	10	409 258	87

STAINLESS STEEL BALL VALVES



Easytop Ball valve Megapress press connections 3-part with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connections
- lockable

Components

non-corroding steel valve casing, stainless steel selector shaft, stuffing box and ball, EPDM sealing elements (press connections), cutting rings, separator rings, actuating lever L shape

Technical data

operating pressure max. 1.6 MPa (PN 16)


operating temperature max. 110 °C

Model 4275.8

DN	D	PU	Article	DG
15	1/2	1	787 165	95
20	3/4	1	787 172	95
25	1	1	787 189	95
32	1 1/4	1	787 196	95
40	1 1/2	1	787 202	95
50	2	1	787 219	95



REPAIR SETS FOR STAINLESS STEEL BALL VALVES



Repair set

- not suitable for Easytop ball valve model 2375.8
- suitable for Easytop ball valve model 4275.8, 4375.8
- PTFE

Components

one gasket each for selector shaft and stuffing box, 2 gaskets for shut-off ball

Model 4275.98

for D	PU	Article	DG
1/2	1	787 738	95
3/4	1	787 745	95
1	1	787 752	95
1 1/4	1	787 769	95
1 1/2, 2	1	787 776	95

ACCESSORIES TOOLS



Megapress Insertion depth template

- for marking the insertion depth of steel pipes according to DIN EN 10220/10255
- Model 4294**

for D	for external-Ø	PU	Article	DG	
3/8–4	38/44.5/57	1	799 298	74	



Marking pen

- for Viega press connector systems
- Model 2490.1**

	PU	Article	DG	
	1	606 121	74	



Megapress Marking pen

- for steel pipe

Note

Not suitable for permanent marking!

Model 4290.1

	PU	Article	DG	
	5	750 091	74	

ACCESSORIES SEALING ELEMENTS



Megapress Sealing element

- for heating installation
- EPDM
- temperature resistant to 110 °C

Note

Use in any other area of application requires consultation with our Technical Consulting!
Only for exchange of Megapress sealing elements from EPDM!

Model 4289

VdS	for D	DN	internal-Ø	s	PU	Article	DG	
	3/8	10	18.0	3	10	740 214	55	
	1/2	15	22.3	3.5	10	719 098	55	
✓	3/4	20	27.9	3.5	10	719 104	55	
✓	1	25	34.7	3.5	10	719 111	55	
✓	1 1/4	32	43.4	4.5	10	719 128	55	
✓	1 1/2	40	49.3	4.5	10	719 135	55	
✓	2	50	61.4	4.7	10	719 142	55	

VdS = VdS certification



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: vag@nt-rt.ru || сайт: <https://viega.nt-rt.ru/>