

Фитинги Megapress G

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: vag@nt-rt.ru || сайт: <https://viega.nt-rt.ru/>

TABLE OF CONTENTS

Overview of Megapress G pipe dimensions	88
Elbows	88
T-pieces	89
Adapters/elbows	90
Couplings	90
Reductions	91
Screw fittings	91
Caps	91
Flanges	92
Accessories	
Tools	93
Sealing elements	93



OVERVIEW OF MEGAPRESS G PIPE DIMENSIONS

Pipes according to EN 10255						
dimension D	nominal width DN	external Ø	external Ø incl. coating		wall thickness heavy series H	wall thickness medium series M
			min.	max.		
½	15	21.3	21.0	21.8	3.2	2.6
¾	20	26.9	26.5	27.3	3.2	2.6
1	25	33.7	33.3	34.2	4.0	3.2
1¼	32	42.4	42.0	42.9	4.0	3.2
1½	40	48.3	47.9	48.8	4.0	3.2
2	50	60.3	59.7	60.8	4.5	3.6

Pipes (Pipes Series 1) according to EN 10220/EN 10216-1, EN 10220/EN 10217-1						
dimension D	nominal width DN	external Ø	external Ø incl. coating		wall thickness EN 10220/ EN 10216-1	wall thickness EN 10220/ EN 10217-1
			min.	max.		
½	15	21.3	20.8	21.8	2.0–3.2	2.0–3.2
¾	20	26.9	26.4	27.4	2.3–3.2	2.0–3.2
1	25	33.7	33.2	34.2	2.6–4.0	2.0–4.0
1¼	32	42.4	41.9	42.9	2.6–4.0	2.3–4.0
1½	40	48.3	47.8	48.8	2.6–4.0	2.3–4.0
2	50	60.3	59.7	60.9	2.9–4.5	2.3–4.5

ELBOWS



Megapress G Elbow 90° with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connections

Components

HNBR sealing elements, cutting rings, separator rings

Model 4616

DN	D	PU	Article	DG
15	½	10	739 072	57
20	¾	10	739 089	57
25	1	5	739 096	57
32	1¼	1	739 102	57
40	1½	1	739 119	57
50	2	1	739 126	57



Megapress G Elbow 90° with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- plug-in end, press connection

Components

HNBR sealing element, cutting ring, separator ring

Model 4616.1

DN	D	PU	Article	DG
15	½	10	739 492	57
20	¾	10	739 508	57
25	1	5	739 515	57
32	1¼	1	739 522	57
40	1½	1	739 539	57
50	2	1	739 546	57

Megapress G with SC-Contur F4



Megapress G Elbow 45° with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connections

Components

HNBR sealing elements, cutting rings, separator rings

Model 4626

DN	D	PU	Article	DG
15	1/2	10	739 133	57
20	3/4	10	739 140	57
25	1	5	739 454	57
32	1 1/4	1	739 461	57
40	1 1/2	1	739 478	57
50	2	1	739 485	57



Megapress G Elbow 45° with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- plug-in end, press connection

Components

HNBR sealing element, cutting ring, separator ring

Model 4626.1

DN	D	PU	Article	DG
15	1/2	10	739 553	57
20	3/4	10	739 560	57
25	1	5	739 577	57
32	1 1/4	1	739 584	57
40	1 1/2	1	739 591	57
50	2	1	739 607	57

T-PIECES



Megapress G T-piece with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connections

Components

HNBR sealing elements, cutting rings, separator rings

Model 4618

DN	D1	D2	D3	PU	Article	DG
15	1/2	1/2	1/2	5	739 614	57
20	3/4	1/2	3/4	5	739 676	57
20	3/4	3/4	3/4	5	739 621	57
25	1	1/2	1	5	739 683	57
25	1	3/4	1	5	739 690	57
25	1	1	1	5	739 638	57
32	1 1/4	3/4	1 1/4	1	784 058	57
32	1 1/4	1	1 1/4	1	739 706	57
32	1 1/4	1 1/4	1 1/4	1	739 645	57
40	1 1/2	3/4	1 1/2	1	784 065	57
40	1 1/2	1	1 1/2	1	739 713	57
40	1 1/2	1 1/4	1 1/2	1	784 089	57
40	1 1/2	1 1/2	1 1/2	1	739 652	57
50	2	3/4	2	1	784 072	57
50	2	1	2	1	739 720	57
50	2	1 1/4	2	1	739 737	57
50	2	1 1/2	2	1	739 744	57
50	2	2	2	1	739 669	57


**Megapress G T-piece
with SC-Contur**

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connections, Rp-thread

Components

HNBR sealing elements, cutting rings, separator rings, polygon

Model 4617.2

DN	D1	Rp	D2	PU	Article	DG
20	3/4	1/2	3/4	5	739 751	57
20	3/4	3/4	3/4	5	739 768	57
25	1	1/2	1	5	739 775	57
25	1	3/4	1	5	739 782	57
25	1	1	1	5	762 872	57
32	1 1/4	1/2	1 1/4	1	739 799	57
32	1 1/4	3/4	1 1/4	1	762 889	57
32	1 1/4	1	1 1/4	1	762 896	57
40	1 1/2	1/2	1 1/2	1	739 805	57
40	1 1/2	3/4	1 1/2	1	762 902	57
40	1 1/2	1	1 1/2	1	762 919	57
50	2	1/2	2	1	739 812	57
50	2	3/4	2	1	762 926	57
50	2	1	2	1	762 933	57

ADAPTERS/ELBOWS

**Megapress G Adapter
with SC-Contur**

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connection, R-thread

Components

HNBR sealing element, cutting ring, separator ring, polygon

Model 4611

DN	D	R	PU	Article	DG
15	1/2	1/2	10	738 730	57
20	3/4	3/4	10	738 747	57
25	1	1	5	738 853	57
32	1 1/4	1 1/4	1	738 860	57
40	1 1/2	1 1/2	1	738 877	57
50	2	2	1	738 884	57


**Megapress G Adapter
with SC-Contur**

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connection, Rp-thread

Components

HNBR sealing element, cutting ring, separator ring, polygon

Model 4612

DN	D	Rp	PU	Article	DG
15	1/2	1/2	10	738 891	57
20	3/4	1/2	5	738 907	57
20	3/4	3/4	10	738 914	57
25	1	3/4	5	738 921	57
25	1	1	5	738 938	57
32	1 1/4	1 1/4	1	738 945	57
40	1 1/2	1 1/2	1	739 058	57
50	2	2	1	739 065	57

COUPLINGS

**Megapress G Coupling
with SC-Contur**

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connections

Components

HNBR sealing elements, cutting rings, separator rings

Model 4615

DN	D	PU	Article	DG
15	1/2	10	738 617	57
20	3/4	10	738 624	57
25	1	5	738 631	57
32	1 1/4	1	738 648	57
40	1 1/2	1	738 655	57
50	2	1	738 662	57

Megapress G with SC-Contur F4



Megapress G Slip coupling with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connections

Components

HNBR sealing elements, cutting rings, separator rings

Model 4615.5

DN	D	PU	Article	DG
15	1/2	10	738 679	57
20	3/4	10	738 686	57
25	1	5	738 693	57
32	1 1/4	1	738 709	57
40	1 1/2	1	738 716	57
50	2	1	738 723	57

REDUCTIONS



Megapress G Reducer with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- plug-in end, press connection

Components

HNBR sealing element, cutting ring, separator ring

Model 4615.1

DN1	D1	DN2	D2	PU	Article	DG
20	3/4	15	1/2	5	739 843	57
25	1	15	1/2	5	739 850	57
25	1	20	3/4	5	739 867	57
32	1 1/4	20	3/4	1	739 874	57
32	1 1/4	25	1	1	739 881	57
40	1 1/2	20	3/4	1	739 898	57
40	1 1/2	25	1	1	739 911	57
40	1 1/2	32	1 1/4	1	739 904	57
50	2	32	1 1/4	1	739 928	57
50	2	40	1 1/2	1	739 935	57

SCREW FITTINGS



Megapress G Connection screw fitting with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connection, G-thread
- conical sealing

Components

HNBR sealing element, cutting ring, separator ring, polygon

Model 4661

DN	D	G	PU	Article	DG
20	3/4	1 3/8	5	739 829	57
25	1	1 3/8	5	739 836	57

CAPS



Megapress G Cap with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- press connection

Components

HNBR sealing element, cutting ring, separator ring

Model 4656

DN	D	PU	Article	DG
15	1/2	10	739 942	57
20	3/4	10	739 959	57
25	1	5	739 966	57
32	1 1/4	1	739 973	57
40	1 1/2	1	739 980	57
50	2	1	739 997	57

FLANGES



Megapress G Flange adapter with SC-Contur

- for steel pipes in accordance with EN 10220/10255
- non-alloyed steel, zinc-nickel coating
- flange adapter, press connection

Components

HNBR sealing element, cutting ring, separator ring

Model 4659.5

DN	D	n	PU	Article	DG	
15	1½	4	1	740 009 ¹	57	
20	¾	4	1	740 016 ¹	57	
25	1	4	1	740 023 ¹	57	
32	1¼	4	1	740 030 ²	57	
40	1½	4	1	740 047 ²	57	
50	2	4	1	740 054 ²	57	

n = number of holes

¹⁾ use with mounting set article 494 056

²⁾ use with mounting set article 494 063



Mounting set

- for flange connection
- galvanised steel

Components

4 screws, 8 washers, 4 nuts

Model 2259.7

DN	PN	M	L	PU	Article	DG	
20/25	16	12	65	1	494 056	87	
32/50	16	16	70	1	494 063	87	



Gasket

- AFM 34/2

Model 2259.9

DN	PN	PU	Article	DG	
15	16	1	611 293	87	
20	16	10	611 309	87	
25	16	10	409 128	87	
32	16	10	409 135	87	
40	16	10	409 142	87	
50	16	10	409 258	87	

ACCESSORIES TOOLS



Megapress Insertion depth template

- for marking the insertion depth of steel pipes according to DIN EN 10220/10255

Model 4294

for D	for external-Ø	PU	Article	DG
¾–4	38/44.5/57	1	799 298	74



Marking pen

- for Viega press connector systems

Model 2490.1

	PU	Article	DG
	1	606 121	74



Megapress Marking pen

- for steel pipe

Note

Not suitable for permanent marking!

Model 4290.1

	PU	Article	DG
	5	750 091	74

ACCESSORIES SEALING ELEMENTS



Megapress G Sealing element

- for gas supply line, heating oil pipe, diesel fuel pipe

- HNBR

Note

Only for exchange of Megapress G sealing elements from HNBR!

Model 4687

for D	DN	internal-Ø	s	PU	Article	DG
½	15	22.3	3.5	10	740 061	57
¾	20	27.9	3.5	10	740 078	57
1	25	34.7	3.5	10	740 085	57
1¼	32	43.4	4.5	10	740 092	57
1½	40	49.3	4.5	10	740 108	57
2	50	61.4	4.7	10	740 115	57





По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: vag@nt-rt.ru || сайт: <https://viega.nt-rt.ru/>