

Фитинги Temproh

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: vag@nt-rt.ru || сайт: <https://viega.nt-rt.ru/>

TABLE OF CONTENTS

Pipes	98
Elbows	98
T-pieces	100
Adapters/elbows	101
Couplings	103
Reductions	104
Screw fittings	105
Caps, plugs	106
Flanges	107
Manifolds, cross pieces	108
Accessories	
Tools	109
Sealing elements	109



PIPES



Temponox Pipe 1.4520 (AISI 430Ti)

(formerly Industrial Pipe Inox)

- for heating, industrial and compressed air systems
- stainless steel 1.4520
- laser welded

Note

Not suitable for potable water installations!

Model 1703

d	s	L [m]	LB	SB	PU	Article	DG
15	1	6	✓		600	591 175	35
18	1	6	✓		240	591 182	35
22	1.2	6	✓		420	591 199	35
28	1.2	6	✓		240	591 205	35
35	1.5	6	✓		180	591 212	35
42	1.5	6	✓		120	591 229	35
54	1.5	6	✓		60	591 236	35
15	1	6		✓	120	807 221	35
18	1	6		✓	60	807 238	35
22	1.2	6		✓	60	807 245	35
28	1.2	6		✓	60	807 252	35
35	1.5	6		✓	30	807 269	35
42	1.5	6		✓	30	807 276	35
54	1.5	6		✓	30	807 283	35

LB = large bundle

SB = small bundle



Temponox XL Pipe 1.4520 (AISI 430Ti)

(formerly Industrial Pipe Inox XL)

- for heating, industrial and compressed air systems
- stainless steel 1.4520
- laser welded

Note

Not suitable for potable water installations!

Model 1703XL

d	s	L [m]	LB	SB	PU	Article	DG
64.0	1.5	6	✓		60	792 381	35
76.1	1.5	6	✓		30	792 398	35
88.9	1.5	6	✓		30	792 404	35
108.0	1.5	6	✓		30	792 411	35
64.0	1.5	6		✓	6	807 306	35
76.1	1.5	6		✓	6	807 313	35
88.9	1.5	6		✓	6	807 337	35
108.0	1.5	6		✓	6	807 290	35

LB = large bundle

SB = small bundle

ELBOWS



NEW

Temponox Elbow 90° with SC-Contur

- non-corroding steel
- press connections

Components

EPDM sealing elements

Note

Not suitable for potable water installations!

Model 1716

d	PU	Article	DG
15	10	809 638	36
18	10	809 645	36
22	10	809 652	36
28	5	809 669	36
35	5	809 676	36
42	1	809 683	36
54	1	809 690	36


NEW
Temponox XL Elbow 90° with SC-Contur

- non-corroding steel
- press connections

Components

EPDM sealing elements, cutting rings, separator rings

Note

Not suitable for potable water installations!

Model 1716XL

d	PU	Article	DG
76.1	1	808 884	37
88.9	1	808 891	37
108.0	1	808 907	37


NEW
Temponox Elbow 90° with SC-Contur

- non-corroding steel
- plug-in end, press connection

Components

EPDM sealing element

Note

Not suitable for potable water installations!

Model 1716.1

d	PU	Article	DG
15	10	808 921	36
18	10	808 938	36
22	10	808 945	36
28	5	809 751	36
35	5	809 768	36
42	1	809 775	36
54	1	809 782	36


NEW
Temponox XL Elbow 90° with SC-Contur

- non-corroding steel
- plug-in end, press connection

Components

EPDM sealing element, cutting ring, separator ring

Note

Not suitable for potable water installations!

Model 1716.1XL

d	PU	Article	DG
76.1	1	809 805	37
88.9	1	809 812	37
108.0	1	809 829	37


NEW
Temponox Elbow 45° with SC-Contur

- non-corroding steel
- press connections

Components

EPDM sealing elements

Note

Not suitable for potable water installations!

Model 1726

d	PU	Article	DG
15	10	809 843	36
18	10	809 850	36
22	10	809 867	36
28	5	809 874	36
35	5	809 881	36
42	1	809 898	36
54	1	809 904	36


NEW
Temponox XL Elbow 45° with SC-Contur

- non-corroding steel
- press connections

Components

EPDM sealing elements, cutting rings, separator rings

Note

Not suitable for potable water installations!

Model 1726XL

d	PU	Article	DG
76.1	1	809 928	37
88.9	1	809 935	37
108.0	1	809 942	37


NEW
Temponox Elbow 45° with SC-Contur

- non-corroding steel
- plug-in end, press connection

Components

EPDM sealing element

Note

Not suitable for potable water installations!

Model 1726.1

d	PU	Article	DG
15	10	809 966	36
18	10	809 973	36
22	10	809 980	36
28	5	809 997	36
35	5	810 009	36
42	1	810 016	36
54	1	810 023	36


NEW
**Temponox XL Elbow 45°
with SC-Contur**

- non-corroding steel
- plug-in end, press connection

Components

EPDM sealing element, cutting ring,
separator ring

Note

Not suitable for potable water
installations!

Model 1726.1XL

d	PU	Article	DG
76.1	1	810 047	37
88.9	1	810 054	37
108.0	1	810 061	37


NEW
Temponox Crossover

- non-corroding steel
- plug-in ends

Note

Not suitable for potable water
installations!

Model 1709.3

d	PU	Article	DG
15	10	810 085	36
18	10	810 092	36
22	10	810 108	36

T-PIECES

NEW
**Temponox T-piece
with SC-Contur**

- non-corroding steel
- press connections

Components

EPDM sealing elements

Note

Not suitable for potable water
installations!

Model 1718

d1	d2	d3	PU	Article	DG
15	15	15	10	810 122	36
15	18	15	5	810 252	36
15	22	15	10	810 269	36
18	15	18	10	810 290	36
18	18	15	10	810 283	36
18	18	18	10	810 139	36
18	22	18	10	810 306	36
22	15	15	5	810 320	36
22	15	22	10	810 337	36
22	18	18	5	810 344	36
22	18	22	10	810 351	36
22	22	15	5	810 368	36
22	22	22	10	810 146	36
22	28	22	10	810 375	36
28	15	28	5	810 382	36
28	18	28	5	810 399	36
28	22	22	5	810 405	36
28	22	28	5	810 412	36
28	28	28	5	810 153	36
35	15	35	5	810 429	36
35	18	35	5	810 436	36
35	22	35	5	810 443	36
35	28	35	5	810 450	36
35	35	35	5	810 160	36
42	15	42	1	810 467	36
42	18	42	1	810 474	36
42	22	42	1	810 481	36
42	28	42	1	810 498	36
42	35	42	1	810 504	36
42	42	42	1	810 177	36
54	15	54	1	810 511	36
54	18	54	1	810 528	36
54	22	54	1	810 535	36
54	28	54	1	810 542	36
54	35	54	1	810 559	36
54	42	54	1	810 566	36
54	54	54	1	810 184	36


NEW
Temponox XL T-piece with SC-Contur

- non-corroding steel
- press connections

Components

EPDM sealing elements, cutting rings, separator rings

Note

Not suitable for potable water installations!

Model 1718XL

d1	d2	d3	PU	Article	DG
76.1	28	76.1	1	810 672	37
76.1	35	76.1	1	810 689	37
76.1	42	76.1	1	810 696	37
76.1	54	76.1	1	810 702	37
76.1	76.1	76.1	1	810 207	37
88.9	28	88.9	1	810 726	37
88.9	35	88.9	1	810 733	37
88.9	42	88.9	1	810 740	37
88.9	54	88.9	1	810 757	37
88.9	76.1	88.9	1	810 771	37
88.9	88.9	88.9	1	810 214	37
108.0	28	108.0	1	810 788	37
108.0	35	108.0	1	810 795	37
108.0	42	108.0	1	810 801	37
108.0	54	108.0	1	810 818	37
108.0	76.1	108.0	1	810 832	37
108.0	88.9	108.0	1	810 849	37
108.0	108.0	108.0	1	810 221	37


NEW
Temponox T-piece with SC-Contur

- non-corroding steel
- press connections, Rp-thread

Components

EPDM sealing elements, polygon

Note

Not suitable for potable water installations!

Model 1717.2

d1	Rp	d2	PU	Article	DG
15	1/2	15	5	810 863	36
18	1/2	18	5	810 870	36
22	1/2	22	5	810 887	36
22	3/4	22	5	810 894	36
28	1/2	28	5	810 900	36
28	3/4	28	5	810 917	36
28	1	28	5	809 072	36
35	1/2	35	5	809 089	36
35	3/4	35	5	809 096	36
42	1/2	42	1	809 102	36
42	3/4	42	1	809 119	36
54	1/2	54	1	809 126	36
54	3/4	54	1	809 133	36
54	1	54	1	809 140	36


NEW
Temponox XL T-piece with SC-Contur

- non-corroding steel
- press connections, Rp-thread

Components

EPDM sealing elements, cutting rings, separator rings, polygon

Note

Not suitable for potable water installations!

Model 1717.2XL

d1	Rp	d2	PU	Article	DG
76.1	3/4	76.1	1	810 962	37
88.9	3/4	88.9	1	810 979	37
108.0	3/4	108.0	1	810 986	37

ADAPTERS/ELBOWS

NEW
Temponox Adapter with SC-Contur

- non-corroding steel
- press connection, R-thread

Components

EPDM sealing element, polygon

Note

Not suitable for potable water installations!

Model 1711

d	R	PU	Article	DG
15	3/8	5	811 501	36
15	1/2	5	811 488	36
15	3/4	5	811 495	36
18	1/2	5	811 518	36
18	3/4	5	811 525	36
22	1/2	5	811 532	36
22	3/4	10	811 549	36
22	1	10	811 556	36
28	1/2	5	811 563	36
28	3/4	5	811 570	36
28	1	5	811 587	36
28	1 1/4	5	811 594	36
35	1	5	811 600	36
35	1 1/4	5	811 617	36
35	1 1/2	5	811 624	36
42	1 1/4	1	811 631	36
42	1 1/2	1	811 648	36
54	2	1	811 655	36


NEW
Temponox XL Adapter with SC-Contur

- non-corroding steel
- press connection, R-thread

Components

EPDM sealing element, cutting ring, separator ring, polygon

Note

Not suitable for potable water installations!

Model 1711XL

d	R	PU	Article	DG
76.1	2½	1	811 686	37
88.9	3	1	811 693	37
108.0	4	1	811 709	37


NEW
Temponox Adapter with SC-Contur

- non-corroding steel
- press connection, Rp-thread

Components

EPDM sealing element, polygon

Note

Not suitable for potable water installations!

Model 1712

d	Rp	PU	Article	DG
15	¾	5	811 730	36
15	½	5	811 747	36
15	¾	5	811 754	36
18	½	5	811 761	36
18	¾	5	811 778	36
22	½	5	811 785	36
22	¾	5	811 792	36
22	1	5	811 808	36
28	¾	5	811 815	36
28	1	5	811 822	36
35	¾	5	811 839	36
35	1	5	811 846	36
35	1¼	5	811 853	36
42	1¼	1	811 860	36
42	1½	1	811 877	36
54	2	1	811 884	36


NEW
Temponox XL Adapter with SC-Contur

- non-corroding steel
- press connection, Rp-thread

Components

EPDM sealing element, cutting ring, separator ring, polygon

Note

Not suitable for potable water installations!

Model 1712XL

d	Rp	PU	Article	DG
76.1	2½	1	811 914	37
88.9	3	1	811 921	37
108.0	4	1	811 938	37


NEW
Temponox Plug-in piece

- non-corroding steel
- plug-in end, R-thread

Components

polygon

Note

Not suitable for potable water installations!

Model 1711.1

d	R	PU	Article	DG
15	½	5	810 634	36
18	½	5	810 641	36
22	¾	5	812 355	36
28	1	5	812 362	36


NEW
Temponox Plug-in piece

- non-corroding steel
- plug-in end, Rp-thread

Components

polygon

Note

Not suitable for potable water installations!

Model 1712.1

d	Rp	PU	Article	DG
15	½	5	812 669	36
18	½	5	812 676	36
18	¾	1	812 683	36
22	½	5	812 690	36
22	¾	5	812 706	36
28	1	5	812 713	36


NEW
Temponox Adapter elbow 90° with SC-Contur

- non-corroding steel
- press connection, R-thread

Components

EPDM sealing element, polygon

Note

Not suitable for potable water installations!

Model 1714

d	R	PU	Article	DG
15	3/8	5	812 393	36
15	1/2	5	812 409	36
18	1/2	5	812 416	36
22	1/2	5	812 423	36
22	3/4	5	812 430	36
28	1	5	812 447	36
35	1 1/4	5	812 454	36
42	1 1/2	1	812 461	36
54	2	1	812 478	36


NEW
Temponox Adapter elbow 90° with SC-Contur

- non-corroding steel
- press connection, Rp-thread

Components

EPDM sealing element, polygon

Note

Not suitable for potable water installations!

Model 1714.5

d	Rp	PU	Article	DG
15	1/2	5	812 508	36
18	1/2	5	812 515	36
22	1/2	5	812 522	36
22	3/4	5	812 539	36
28	1	5	812 546	36


NEW
Temponox Adapter elbow 90° with SC-Contur

- non-corroding steel
- press connection, R-thread

Components

EPDM sealing element

Note

Not suitable for potable water installations!

Model 1714.1

d	R	PU	Article	DG
15	3/8	5	811 013	36
15	1/2	5	811 020	36
18	1/2	5	811 037	36
22	3/4	5	811 044	36
28	1	5	811 051	36


Temponox Adapter elbow 90° with SC-Contur

- non-corroding steel
- press connection, Rp-thread

Components

EPDM sealing element

Note

Not suitable for potable water installations!

Model 1714.2

d	Rp	PU	Article	DG
15	1/2	5	811 075	36
22	1/2	5	811 082	36
22	3/4	5	811 099	36
28	1/2	5	811 105	36
28	3/4	5	811 112	36
28	1	5	811 129	36

COUPLINGS


NEW
Temponox Coupling with SC-Contur

- non-corroding steel
- press connections

Components

EPDM sealing elements

Note

Not suitable for potable water installations!

Model 1715

d	PU	Article	DG
15	10	809 065	36
18	10	808 983	36
22	10	808 990	36
28	5	809 003	36
35	5	809 010	36
42	5	809 027	36
54	1	809 034	36


NEW
Temponox XL Coupling with SC-Contur

- non-corroding steel
- press connections

Components

EPDM sealing elements, cutting rings, separator rings

Note

Not suitable for potable water installations!

Model 1715XL

d	PU	Article	DG
76.1	1	809 157	37
88.9	1	809 164	37
108.0	1	809 171	37


NEW
Temponox Slip coupling with SC-Contur

- non-corroding steel
- press connections

Components

EPDM sealing elements

Note

Not suitable for potable water installations!

Model 1715.5

d	PU	Article	DG
15	5	809 195	36
18	5	809 201	36
22	5	809 225	36
28	5	809 232	36
35	5	809 249	36
42	1	809 256	36
54	1	809 263	36


NEW
Temponox XL Slip coupling with SC-Contur

- non-corroding steel
- press connections

Components

EPDM sealing elements, cutting rings, separator rings

Note

Not suitable for potable water installations!

Model 1715.5XL

d	PU	Article	DG
76.1	1	809 287	37
88.9	1	809 294	37
108.0	1	809 300	37

REDUCTIONS


NEW
Temponox Reducer with SC-Contur

- non-corroding steel
- plug-in end, press connection

Components

EPDM sealing element

Note

Not suitable for potable water installations!

Model 1715.1

d1	d2	PU	Article	DG
18	15	10	809 331	36
22	15	10	809 355	36
22	18	10	809 362	36
28	15	5	809 379	36
28	18	10	809 386	36
28	22	10	809 393	36
35	15	5	809 409	36
35	22	5	809 416	36
35	28	5	809 423	36
42	22	5	809 430	36
42	28	5	809 447	36
42	35	5	809 454	36
54	22	1	809 461	36
54	28	1	809 478	36
54	35	1	809 485	36
54	42	1	809 492	36


NEW
Temponox XL Reducer with SC-Contur

- non-corroding steel
- plug-in end, press connection

Components

EPDM sealing element, cutting ring, separator ring

Note

Not suitable for potable water installations!

Model 1715.1XL

d1	d2	PU	Article	DG
76.1	35	1	809 515	37
76.1	42	1	809 522	37
76.1	54	1	809 539	37
88.9	54	1	809 553	37
88.9	76.1	1	809 577	37
108.0	54	1	809 584	37
108.0	76.1	1	809 607	37
108.0	88.9	1	809 614	37

SCREW FITTINGS


NEW
Temponox Screw fitting with SC-Contur

- non-corroding steel
- press connections
- flat sealing

Components

EPDM sealing elements, EPDM flat gasket, union nut screw fitting, polygon

Note

Material data relate to water contacting components. The union nut consists of nickel-plated brass. Not suitable for potable water installations!

Model 1760

d	PU	Article	DG
15	5	812 232	36
18	5	812 249	36
22	5	812 256	36
28	5	812 263	36
35	5	812 270	36
42	1	810 597	36
54	1	810 603	36


NEW
Temponox Adapter union with SC-Contur

- non-corroding steel
- press connection, Rp-thread
- flat sealing

Components

EPDM flat gasket, EPDM sealing element, union nut screw fitting, polygon

Note

Material data relate to water contacting components. The union nut consists of nickel-plated brass. Not suitable for potable water installations!

Model 1762

d	Rp	PU	Article	DG
15	½	5	812 140	36
18	½	5	812 157	36
22	¾	5	812 164	36
22	1	5	812 171	36
28	1	5	812 188	36
35	1¼	1	812 195	36
42	1½	1	812 201	36
54	2	1	812 218	36


NEW
Temponox Adapter union with SC-Contur

- non-corroding steel
- press connection, R-thread
- flat sealing

Components

EPDM flat gasket, EPDM sealing element, union nut screw fitting, polygon

Note

Material data relate to water contacting components. The union nut consists of nickel-plated brass. Not suitable for potable water installations!

Model 1765

d	R	PU	Article	DG
15	½	5	812 065	36
18	¾	5	812 072	36
22	¾	5	812 089	36
22	1	5	812 096	36
28	1	5	812 102	36
35	1¼	5	812 119	36
42	1½	1	812 126	36
54	2	1	812 133	36




NEW
Temponox Connection screw fitting
with SC-Contur

- non-corroding steel
- press connection, G-thread

Components

EPDM flat gasket, EPDM sealing element, union nut screw fitting, polygon

Note

Material data relate to water contacting components. The union nut consists of nickel-plated brass. Not suitable for potable water installations!

Model 1763

d	G	PU	Article	DG
15	1/2	5	811 280	36
15	3/4	5	811 297	36
15	1	5	811 303	36
18	3/4	5	811 310	36
18	1	5	811 327	36
22	3/4	5	811 334	36
22	1	5	811 341	36
22	1 1/4	5	811 358	36
22	1 1/2	5	811 365	36
28	1	5	811 372	36
28	1 1/4	5	811 389	36
28	1 1/2	5	811 396	36
35	1 1/2	5	811 402	36
35	2	5	811 419	36
42	1 3/4	1	811 426	36
42	2	1	811 433	36
54	2 3/8	1	811 440	36
54	2 1/2	1	811 457	36

CAPS, PLUGS

NEW
Temponox Cap with SC-Contur

- non-corroding steel
- press connection

Components

EPDM sealing element

Note

Not suitable for potable water installations!

Model 1756

d	PU	Article	DG
15	5	811 952	36
18	5	811 969	36
22	5	811 976	36
28	5	811 983	36
35	5	811 990	36
42	1	812 003	36
54	1	812 010	36


NEW
Temponox XL Cap with SC-Contur

- non-corroding steel
- press connection, Rp-thread

Components

EPDM sealing element, cutting ring, separator ring, polygon

Note

Not suitable for potable water installations!

Model 1756XL

d	Rp	PU	Article	DG
76.1	3/4	1	812 034	37
88.9	3/4	1	812 041	37
108.0	3/4	1	812 058	37


Protective cap

- for pipe end
- not suitable for leakage and pressure test
- plastic

Model 2259.1

d	PU	Article	DG
15	10	611 149	76
18	10	612 054	76
22	10	612 061	76
28	10	612 078	76
35	10	612 085	76
42	10	612 092	76
54	10	612 108	76


Protective cap

- for pipe end
- not suitable for leakage and pressure test
- plastic

Model 2259.1XL

d	PU	Article	DG
64.0	10	612 115	76
76.1	10	612 122	76
88.9	10	612 139	76
108.0	10	612 146	76

FLANGES



NEW

Temponox Flange adapter with SC-Contur

- use with Sanpress Inox mounting set article 611 279
- non-corroding steel
- flange adapter, press connection

Components

fixed flange PN 10/16, EPDM sealing element

Note

Not suitable for potable water installations!

Model 1759

DN	d	n	k [mm]	PU	Article	DG
32	35	4	100	1	811 136	36
40	42	4	110	1	811 143	36
50	54	4	125	1	811 150	36

n = number of holes
k = bolt circle diameter



NEW

Temponox XL Flange adapter with SC-Contur

- use with Sanpress Inox XL mounting set model 2359.7XL
- non-corroding steel
- flange adapter, press connection

Components

fixed flange PN 10/16, EPDM sealing element, cutting ring, separator ring

Note

Not suitable for potable water installations!

Model 1759XL

DN	d	n	k [mm]	PU	Article	DG
65	76.1	8	145	1	811 174	37
80	88.9	8	160	1	811 181	37
100	108.0	8	180	1	811 198	37

n = number of holes
k = bolt circle diameter



NEW

Temponox Flange adapter with SC-Contur

- use with Temponox mounting set model 1759.7
- non-corroding steel
- flange adapter, press connection

Components

fixed flange PN 6, EPDM sealing element

Note

Not suitable for potable water installations!

Model 1759.1

DN	d	n	PU	Article	DG
32	35	4	1	811 204	36
40	42	4	1	811 211	36
50	54	4	1	811 228	36

n = number of holes



NEW

Temponox XL Flange adapter with SC-Contur

- non-corroding steel
- flange adapter, press connection

Components

fixed flange PN 6, EPDM sealing element, cutting ring, separator ring

Note

Not suitable for potable water installations!

Model 1759.1XL

DN	d	n	k [mm]	PU	Article	DG
65	76.1	4	130	1	811 259¹	37
80	88.9	4	150	1	811 266²	37
100	108.0	4	170	1	811 273²	37

n = number of holes
k = bolt circle diameter

¹⁾ use with Temponox mounting set model 1759.7

²⁾ use with Temponox XL mounting set model 1759.7XL



Temponox Mounting set

- for flange connection
- stainless steel

Components

4 screws, 8 washers, 4 nuts

Note

Not suitable for potable water installations!

Model 1759.7

DN	PN	M	L	PU	Article	DG
32-65	6	12	50	1	816 568	36


Temponox XL Mounting set

- for flange connection
- stainless steel

Components

4 screws, 8 washers, 4 nuts

Note

Not suitable for potable water installations!

Model 1759.7XL

for DN	PN	M	L	PU	Article	DG	
80/100	6	16	60	1	816 575	37	


Sanpress Inox Mounting set

- for flange connection
- stainless steel

Components

4 screws, 8 washers, 4 nuts

Model 2359.7

DN	PN	M	L	PU	Article	DG	
32/50	10/16	16	70	1	611 279	82	


Sanpress Inox XL Mounting set

- for flange connection
- stainless steel

Components

8 screws, 16 washers, 8 nuts

Model 2359.7XL

for DN	PN	M	L	PU	Article	DG	
65/100	10/16	16	70	1	583 682	98	


Gasket

- AFM 34/2

Model 2259.9

DN	PN	PU	Article	DG	
32	6	5	650 131	87	
32	16	10	409 135	87	
40	6	5	650 148	87	
40	16	10	409 142	87	
50	6	5	650 551	87	
50	16	10	409 258	87	


Gasket

- AFM 34/2

Model 2259.9XL

DN	PN	PU	Article	DG	
65	6	5	650 575	88	
65	16	10	356 293	88	
80	6	5	650 582	88	
80	16	10	356 309	88	
100	6	5	650 599	88	
100	16	10	356 316	88	

MANIFOLDS, CROSS PIECES


NEW

Temponox Cross piece with SC-Contur

- non-corroding steel
- press connections

Components

EPDM sealing elements

Note

Not suitable for potable water installations!

Model 1748

d1	d2	PU	Article	DG	
18	15	1	812 553	36	
22	15	2	812 560	36	
28	15	2	812 577	36	

ACCESSORIES TOOLS



Marking pen
- for Viega press connector systems
Model 2490.1

	PU	Article	DG
	1	606 121	74



Insertion depth template
- for marking the insertion depth of
metallic pipes
Model 2494

for d	PU	Article	DG
12–54	1	625 085	74



Deburrer
- for internal or external deburring,
copper pipe, stainless steel pipe,
Prestabo pipe
- steel
Model 2292.2

for d	PU	Article	DG
12–54	1	343 019	74



Deburrer
- for internal or external deburring,
copper pipe, stainless steel pipe,
Prestabo pipe
- steel
Model 2292.4XL

for d	PU	Article	DG
64.0–108.0	1	556 310	74

ACCESSORIES SEALING ELEMENTS



**Sealing element
EPDM**
- for potable water installation, heating installation
- temperature resistant to 110 °C
Model 2289

VdS	for d	internal-Ø	s	PU	Article	DG
	15	15.1	2.6	10	183 400	87
	18	18.2	2.6	10	281 595	87
✓	22	22.2	3.1	10	183 523	87
✓	28	28.3	3.1	10	184 452	87
✓	35	35.4	3.25	10	181 208	87
✓	42	42.4	4.13	10	184 940	87
✓	54	54.4	4.13	10	191 153	87

VdS = VdS certification



**Sealing element
EPDM**
- for Sanpress Inox XL, Profipress XL, Prestabo XL, Temponox XL, potable water installation,
heating installation
- temperature resistant to 110 °C
Model 2389XL

VdS	for d	internal-Ø	s	PU	Article	DG
✓	76.1	77.85	5	1	583 705	98
✓	88.9	90.7	5	1	583 712	98
✓	108.0	110.4	5	1	583 699	98

VdS = VdS certification





Sealing element FKM

- for areas of application with high temperatures e.g. district heat supply systems up to 140 °C and 1.6 MPa, low-pressure steam systems ≤ 120 °C and < 0.1 MPa, solar installations/vacuum pipes

Note

The Prestabo system is not suitable for low-pressure steam systems!

Use in any other area of application requires consultation with our Technical Consulting!

Model 2286

VdS	for d	internal-Ø	s	PU	Article	DG	
	15	15.1	2.6	5	459 390	87	
	18	18.2	2.6	5	459 406	87	
✓	22	22.2	3.1	5	459 413	87	
✓	28	28.3	3.1	5	459 420	87	
✓	35	35.4	3.25	5	459 437	87	
✓	42	42.4	4.13	5	459 444	87	
✓	54	54.4	4.13	1	459 451	87	

VdS = VdS certification



Sealing element FKM

- for areas of application with high temperatures e.g. district heat supply systems up to 140 °C and 1.6 MPa, low-pressure steam systems ≤ 120 °C and < 0.1 MPa, solar installations/vacuum pipes

Note

The Prestabo system is not suitable for low-pressure steam systems!

Use in any other area of application requires consultation with our Technical Consulting!

Model 2386XL

VdS	for d	internal-Ø	s	PU	Article	DG	
✓	76.1	77.85	5	1	614 485	98	
✓	88.9	90.7	5	1	614 478	98	
✓	108.0	110.4	5	1	614 492	98	

VdS = VdS certification



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: vag@nt-rt.ru || сайт: <https://viega.nt-rt.ru/>